

2020 PRODUCT GUIDE




www.graco.com/bluelink

www.graco.com

INDEX

1. Units: Specifications & Pricing	
Touch-Up Applications	p. 6 - 7
Fine Finish Applications	p. 8 - 11
Professional Airless Applications	p. 12 - 17
Texture Applications	p. 18 - 25
Heavy Duty Applications	p. 26 - 31
Professional Cleaning Applications	p. 32 - 33
2. Accessories: Specifications & Pricing	
Touch-Up Applications	p. 36 - 37
Fine Finish Applications	p. 38 - 43
Professional Airless Applications	p. 44 - 65
Texture Applications	p. 66 - 71
Heavy Duty Applications	p. 72
Professional Cleaning Applications	p. 73
General Parts	p. 74 - 75
3. Tips: Specifications & Pricing	
Tip Selection Guide	p. 78 - 81
Fine Finish Low Pressure Tips	p. 82 - 83
Rac® X Tips	p. 84 - 85
Flat Tips	p. 86 - 87
Airless Tips	p. 88
Cleaning Tips	p. 89
4. Warranty	
Warranty overview	p. 92 - 93
5. Support Material	
Commercial literature & service support	p. 96 - 97



SERIES

A12A

MAX bar 0 mPa

24L

AMPs

16

IP20

HZ

50/60

227

MADE IN

U.S.A.



Label No.

UNITS

SPECIFICATIONS & PRICING

The ultimate quick reference overview!

Compare technical specifications, technologies featured
as well as the actual composition list of all products
within a certain application group - all in 1 table!

SPECIFICATIONS & PRICING

TOUCH-UP



SPECIFICATIONS			
Part Numbers: EU - 230V	17M360	17M366	17P258
Part Numbers: IT - 230V	17M360	17M366	17P258
Part Numbers: DK - 230V	17M360	17M366	17P258
Part Numbers: CH - 230V	17M360	17M366	17P258
Part Numbers: UK - 230V	25M616	25M615	25M614
Max. Tip Size	0.016"	0.016"	0.016"
Motor	AC	DC	DC Brushless
Max. pressure - bar (PSI)	138 (2000)	138 (2000)	138 (2000)
Weight - kg (lbs)	2.1 (4.6)	2.4 (5.3)	2.4 (5.3)
FEATURES			
Material and Solvent compatibility	Waterbased	Waterbased	■*
Repairable	■	■	■
SmartControl™	■	■	■
Speed Selector	ProControl™ II	ProControl™ II	ProControl™ II
Flow Control			
Suction system	Vacuum	Vacuum	Vacuum
Cup system	Throw-away	Throw-away	Throw-away
COMPOSITION			
Tips	FFLP410 + FFLP514		
Guard	RAC X™ - 246215		RAC X™ - 17P573
Inlet filter (mesh)	60 + 100		
Power supply	3m power cable	2 x 18V DEWALT® battery	
Battery charger		■	■
Cup + lid	1 L (1 cup, 1 lid)		
Cup liners	4		
Storage bag/case	Bag		
BROCHURE	344104	344104	344104

* Compatible with "flammables" and "hot" solvents, see operating manual for detailed list of compatible cleaning fluids



SPECIFICATIONS & PRICING

FINE FINISH - 1

HVLP™ STANDARD

9.0



HVLP™ PROCONTRACTOR

7.0

9.5



SPECIFICATIONS			
Part numbers: EU - 230V	17P529	17P530	17P532
Part numbers: IT, DK, CH, UK - 230V	17P535	17P536	17P538
Part numbers: UK - 110V	-	-	17T982
Turbine stages	4	3	5
Max. air working pressure - bar (PSI)	0.6 (9)	0.5 (7)	0.7 (9.5)
Weight - kg (lbs)	14 (30.8)	18 (39.7)	19 (41.9)
FEATURES			
TurboForce™ II technology	■	■	■
SmartStart		■	■
TCS System	■	■	■
Quick release needle	■	■	■
Flex Liner™ System	■	■	■
Air flow control at the gun	Preset ratio	■	■
Material volume control at the gun	■	■	■
Spray fan size control at the gun	■	■	■
Needle nozzle storage		■	■
Washable air filtration	Foam	Automotive	Automotive
COMPOSITION			
Needle nozzle-kit	#3	#3	#3, #4, #5
Gun	EDGE® II	EDGE® II Plus	
Hose	Super-Flex™ Air 6M - 17R300	Super-Flex™ Air 9M - 257159	
Whip hose		Super-Flex™ Air 1.2M - 17R299	
Gun docking station		■	
BROCHURE			
	300744	300744	300744

HVLP™ PROCOMP

9.5



	17P533
	17P539
	-
	5
	0.7 (9.5)
	23 (50.7)
	■
	■
	■
	■
	Remote Cup
	■
	■
	■
	■
	Automotive
	#3, #4, #5
	EDGE® II Plus
	Super-Flex™ Air 9M - 257159
	Super-Flex™ Air 1.2M - 17R299
	■
	300744

SPECIFICATIONS & PRICING

FINE FINISH - 2

FINISHPRO™ II

395 PC

595 PC PRO



SPECIFICATIONS		
Part numbers: EU - 230V	17C418	17E912
Part Numbers: IT, DK, CH - 230V	17C421	17E913
Part Numbers: UK - 110V	17C320	-
Max. tip size: 1 gun	0.023"	0.027"
Max. flow - l/min. (gpm)	2.0 (0.54)	2.6 (0.68)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)
Motor rating - kW (HP)	0.65 (0.875) TEFC Brush DC	1.04 (1.4) Brushless DC
Turbine / compressor l/min. (cfm)	2.0 (0.47)	2.7 (0.7)
Max. air working pressure - bar (PSI)	2.4 (35)	2.4 (35)
Weight - kg (lbs)	50 (110)	51 (112)
FEATURES		
BlueLink™		■
SmartControl™	1.0	3.0
Air pressure gauge	■	■
FastFlush™		■
ProGuard™		■
Endurance™ Pump	■	■
ProConnect™	■	■
SmartComp™	■	■
Hose Rack	■	■
TiltBack™		■
COMPOSITION		
Tips	FFLP210 + LTX517 + AAM309	
Flat to RAC® conversion kit	■	
Gun filter (mesh)	100 - 224453	
Pump filter (mesh)	Easy Out™ 100 - 246382	
Gun	G40 - 262932	
Hose	Super-Flex Fluid+ Air; Hose (7.5M) + Whip (2M) 24U578; Hose protector 24U576	Super-Flex™ Fluid+ Air; Hose (15M)+ Whip (2M) 24U579; Hose protector 24U577
Toolbox	■	
Tools	■*	
BROCHURE	320599	320599

* Adjustable wrench 111733, 118 ml TSL™ 238049



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 1

GX™		
	FF	21
		
SPECIFICATIONS		
Part numbers: EU - 230V	17G184	17G183
Part numbers: IT, DK, CH, UK - 230V	17H222	17H218
Max. tip size: 1 gun	0.019"	0.021"
Max. flow - l/min (gpm)	1.5 (0.38)	1.8 (0.47)
Max. pressure - bar (PSI)	207 (3000)	207 (3000)
Weight - kg (lbs)	14.1 (31)	13.2 (29)
FEATURES		
Frame	Stand with hopper	Direct Immersion
Hopper	5.7 L	Suction Tube
Ball Knocker - PushPrime™	■	■
Hydraulic Pressure Gauge	■	■
ProXChange™ Pump System	■	■
COMPOSITION		
Tips	FFA210	LP517 + FFLP310
Guard	RAC X™ - 246215	
Gun filter (mesh)	Easy Out™ 100 - 287033	Easy Out™ 50 - 218131
Gun	FTx™-E, 2-finger - 17J261	SG3™, 4-finger - 17J910
Pump filter (mesh)		40 - 257094
Hose	Blue Max™ II 3/16" x 7.5m - 214698	DuraFlex™ 1/4" x 15m - 247340
Tools	Built-in pump removal tool	
BROCHURE	300735	300735

SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 1

	CLASSIC			
	390 PC Stand	390 PC Hi Boy	S 395 PC Stand	S 495 PC Hi Boy
				
SPECIFICATIONS				
Part numbers: EU - 230V	17C348	17C349	17C361	17E025
Part numbers: IT, DK, CH - 230V	17C346	17C351	-	17E026
Part numbers: UK - 110V	17C347	-	17C359	-
Max. tip size: 1 gun	0.021"	0.021"	0.023"	0.025"
Max. flow - l/min (gpm)	1.8 (0.47)	1.8 (0.47)	2.0 (0.54)	2.3 (0.60)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (hp)	0.46 (0.625) DC	0.46 (0.625) DC	0.65 (0.875) TEFC DC	0.74 (1.0) TEFC DC
Weight - kg (lbs)	14 (30)	31 (69)	19 (42)	33 (73)
FEATURES				
BlueLink™				
SmartControl™			1.0	1.0
Hydraulic Pressure Gauge	■	■	■	■
FastFlush™				
ProGuard™				
Endurance™ Pump	■	■	■	■
ProConnect™	■	■	■	■
TiltBack™		■		■
Hose rack		■		■
COMPOSITION				
Tips	PAA517			
Guard	RAC X™ - 246215			
Gun filter (mesh)	Easy Out™ 60 - 287032			
Gun	FTx™-E, 4-finger - 288438			
Hose	Blue Max™ II 1/4" x 15m - 240794			
Toolbox		■		■
Tools	■*	■*	■*	■*
BROCHURE	300733	300733	300733	300733

* Gun Tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 2

ST MAX™ II

395 PC PRO Stand

395 PC PRO Hi Boy

495 PC PRO Stand

495 PC PRO Hi Boy



SPECIFICATIONS				
Part numbers: EU - 230V	17E864	17E865	17E871	17E874
Part numbers: IT, DK, CH - 230V	-	-	17E872	17E875
Part numbers: UK - 110V	-	-	17E873	-
Max. tip size: 1 gun	0.023"	0.023"	0.025"	0.025"
Max. flow - l/min (gpm)	2.0 (0.54)	2.0 (0.54)	2.3 (0.60)	2.3 (0.60)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (hp)	0.74 (1.0) Brushless DC	0.74 (1.0) Brushless DC	0.89 (1.2) Brushless DC	0.89 (1.2) Brushless DC
Weight - kg (lbs)	14 (30)	30 (66)	15 (34)	30 (66)
FEATURES				
BlueLink™	■	■	■	■
SmartControl™	3.0	3.0	3.0	3.0
Hydraulic Pressure Gauge	■	■	■	■
FastFlush™	■	■	■	■
ProGuard™	■	■	■	■
Endurance™ Pump	■	■	■	■
ProConnect™	■	■	■	■
TiltBack™		■	■	■
Hose rack		■	■	■
COMPOSITION				
Tips	LP517			
Guard	RAC X™ - 246215			
Gun filter (mesh)	Easy Out™ 60 - 287032			
Gun	Contractor™ PC - 17Y043			
Hose	Blue Max™ II 1/4" x 15m - 240794			
Toolbox		■		■
Tools	■*	■*	■*	■*
BROCHURE	320580	320580	320580	320580

* Gun Tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

ST MAX™ II

595 PC PRO Hi Boy



	17E876
	17E877
	17E878
	0.027"
	2.6 (0.68)
	227 (3300)
	1.19 (1.6) Brushless DC
	33 (73)
	■
	3.0
	■
	■
	■
	■
	■
	■
	■
	LP517
	RAC X™ - 246215
	Easy Out™ 60 - 287032
	Contractor™ PC - 17Y043
	Blue Max™ II 1/4" x 15m - 240794
	■
	■*
	320580



SPECIFICATIONS & PRICING

PROFESSIONAL AIRLESS - 3

ULTRA® MAX II STANDARD

695

795

1095



SPECIFICATIONS			
Part numbers: EU - 230V	17E632	17E639	17E646
Part numbers: IT, DK, CH - 230V	17E633	17E640	-
Part numbers: UK - 110V	17E634	17E641	-
Max. tip size: 1 gun	0.031"	0.033"	0.035"
Max. tip size: 2 guns	0.023"	0.025"	0.027"
Max. flow - l/min (gpm)	3.6 (0.95)	4.1 (1.1)	4.5 (1.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Motor rating - kW (HP)	1.3 (1.75)	1.5 (2.0)	1.65 (2.2)
Temperature setting			
Weight - kg (lbs)	43 (94)	45 (98)	52 (115)
FEATURES			
BlueLink™	■	■	■
SmartControl™ with ProGuard™	4.0	4.0	4.0
LED display			
Hydraulic Pressure Gauge	■	■	■
FastFlush™	■	■	■
WatchDog™	■	■	■
Endurance™ Pump	■	■	■
ProConnect™			
Piston Rod	Chromex	Chromex	Chromex
Sleeve	Hard Chrome	Hard Chrome	Hard Chrome
Rock Catcher	Standard	Standard	Standard
TiltBack™	■	■	■
QuickReel™			
Flat-Proof Tires			
COMPOSITION			
Tips	LP517 + LP621		
Guard	RAC X™ - 246215		
Gun	Contractor™ PC - 17Y043		
Gun filter (mesh)	Easy Out™ 60 - 287032		
Hose	Blue Max™ II 1/4" x 15m - 240794		
Whip hose			
Tools		■*	
BROCHURE	300713	300713	300713

*Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

ULTRA® MAX II PROCONTRACTOR			ULTRA® MAX II IRONMAN	°C-MAX™	
695	795	1095	1095	1513	3023
					
17E635	17E642	17E647	17E650	24E656	24E657
17E636	17E643	17E648	-	-	-
17E637	17E644	-	-	-	-
0.031"	0.033"	0.035"	0.035"	0.013"	0.023"
0.023"	0.025"	0.027"	0.027"		
3.6 (0.95)	4.1 (1.1)	4.5 (1.2)	4.5 (1.2)		
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
1.3 (1.75)	1.5 (2.0)	1.65 (2.2)	1.65 (2.2)	1500 W	2100 W
				Max.: 60°C Standard: 30°C	Max.: 60°C Standard: 45°C
50 (111)	52 (115)	59 (131)	55 (120)	2 (4.4)	3 (6.6)
■	■	■	■		
4.0	4.0	4.0	4.0		
■	■	■			
■	■	■	■		
■	■	■	■		
■	■	■	■		
Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex		
■	■	■	■		
MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™		
MaxLife™	MaxLife™	MaxLife™	MaxLife™		
CrushProof	CrushProof	CrushProof	CrushProof		
■	■	■	■		
■	■	■			
		■	■		
LP517 + LP621			LP517 + LP621		
RAC X™ - 246215			RAC X™ - 246215		
Contractor™ PC - 17Y043			Contractor™ PC - 17Y043		
Easy Out™ 60 - 287032			Easy Out™ 60 - 287032		
BlueMax™ II 1/4" x 15m - 240794			BlueMax™ II 1/4" x 15m - 240794	°C-Max™ 1/4" X 15M	°C-Max™ 3/8" X 30M
	■				
	■*		■*		
300713	300713	300713	300713	300696	300696

SPECIFICATIONS & PRICING

TEXTURE - 1

MARK MAX STANDARD							
MARK IV MAX		MARK V MAX		MARK VII MAX		MARK X MAX	
							
17E651		17E655		17E665		17E669	
17E652		-		17E666		17E670	
-		17E659		-		-	
Paint 0.031" Plaster 0.033"		Paint 0.035" Plaster 0.037" Paint 0.039" Plaster 0.041"		Paint 0.041" Plaster 0.047"		Paint 0.045" Plaster 0.051"	
3.6 (0.95)		4.3 (1.2)		6.0 (1.6)		8.3 (2.2)	
		5.1 (1.35)					
227 (3300)		227 (3300)		227 (3300)		227 (3300)	
1.5 (2.0)		1.65 (2.2)		1.9 (2.5)		3.0(4.0)	
		2.0 (2.8)					
46 (101)		57 (125)		60 (132)		68 (150)	
							
4.0		4.0		4.0		4.0	
							
							
							
							
Hard Chrome		Hard Chrome		Hard Chrome		Hard Chrome	
Hard Chrome		Hard Chrome		Hard Chrome		Hard Chrome	
							
Standard		Standard		Standard		Standard	
							
PAA425		PAA427 + HDA531		HDA531 + 541			
RAC X™ - 246215							
Flex Plus - 246468		HD Blue Texture - 289605				HD Inline Texture - 245820	
Blue Max™ II 3/8" x 15m - 240797				Blue Max™ II 1/2" x 15m - 278499			
Blue Max™ II 1/4" x 0.9m - 277249				Blue Max™ II 3/8" x 3.5m - 191239			
 **							
300716		300716		300716		300716	

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.

** Gun tool 15F446, adjustable wrench 111733, 118 ml TSL™ 238049

MARK MAX PROCONTRACTOR					MARK MAX IRONMAN		
MARK IV MAX	MARK V MAX	MARK VII MAX	MARK X MAX		MARK V MAX	MARK VII MAX	MARK X MAX
							
	17E653	17E660	17E667	17E671	17E664	17H895	17H897
	17E654	17E661	17E668	17E672	-	17H896	17H898
	-	17E662	-	-	-	-	-
	Paint 0.031" Plaster 0.033"	Paint 0.035" Plaster 0.037" Paint 0.039" Plaster 0.041"	Paint 0.041" Plaster 0.047"	Paint 0.045" Plaster 0.051"	Paint 0.035" Plaster 0.037"	Paint 0.041" Plaster 0.047"	Paint 0.045" Plaster 0.051"
	3.6 (0.95)	4.3 (1.2) 5.1 (1.35)	6.0 (1.6)	8.3 (2.2)	3.6 (0.95)	6.0 (1.6)	8.3 (2.2)
	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
	1.5 (2.0)	1.65 (2.2) 2.0 (2.8)	1.9 (2.5)	3.0(4.0)	1.65 (2.22)	1.9 (2.5)	3.0(4.0)
	53 (117)	64 (141)	67 (148)	75 (166)	59 (129)	62 (136)	70 (154)
							
	4.0	4.0	4.0	4.0	4.0	4.0	4.0
							
							
							
	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex
	2.0	2.0	2.0	2.0	2.0	2.0	2.0
	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™	MaxLife Extreme™
	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
							
	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
							
							
							
	PAA425	PAA427 + HDA531	HDA531 + 541		PAA427/HDA531	HDA531/541	
	RAC X™ - 246215				RAC X™ - 246215		
	Flex Plus - 246468	HD Blue Texture - 289605		HD Inline Texture - 245820	HD Blue Texture - 289605		HD Inline Texture - 245820
	BlueMax™ II 3/8" x 15m - 240797		BlueMax™ II 1/2" x 15m - 278499		BlueMax™ II 3/8" x 15m - 240797	BlueMax™ II 1/2" x 15m - 278499	
	Blue Max™ II 1/4" x 0.9m - 277249		Blue Max™ II 3/8" x 3.5m - 191239		BlueMax™ II 1/4" x 0.9m - 277249	BlueMax™ II 3/8" x 3.5m - 191239	
							
	300716	300716	300716	300716	300716	300716	300716

SPECIFICATIONS & PRICING

TEXTURE - 2

T-MAX™ AIRLESS

506

657

6912



SPECIFICATIONS			
Part Numbers: EU - 230V	17X980	17X983	17X986
Part Numbers: IT, DK, CH - 230V	17X981	17X984	17X987
Part Numbers: UK - 110V	17X982	17X985	17X988
Max. Tip Size	Plaster 0.051"	Plaster 0.061"	Plaster 0.071"
Max. flow - l/min (gpm)	6.4 (1.7)	7.2 (1.9)	12 (3.17)
Max. Pressure - bar (PSI)	50 (730)	65 (940)	69 (1000)
Motor rating - kW (HP)	0.9 (1.2)	0.9 (1.2)	2 (2.8)
Compressor l/min	External Compressor		
Weight - kg (lbs)	71 (156)	73 (160)	86 (190)
FEATURES			
SmartControl™	■	■	■
LED Display			■
Flow / Pressure Selector	Integrated	Integrated	■
Pump Shutoff at gun			Optional
Hopper	4 bags	6 bags	6 bags
Endurance™ Pump	■	■	■
Piston Packing	Single Packing	Single Packing	V-Packing
Modular Split Frame	■	■	■
Bag Roller	Optional	Optional	Optional
Vibra-Flo™ Shaker	Optional	Optional	Optional
COMPOSITION			
Tips	HDA651	HDA651 + HDA655	HDA651 + HDA655
WideTex Tips			
Nozzles			
Guard	RAC X™ - 246215		
Gun	T-Max™ Lance - 17Z054		
Hose	1" x 5m - 289960	1" x 10m - 289961	1" x 5m - 289960 1" x 10m - 289961
Whip hose	3/4" x 3m - 289959		
Toolbox	■		
Tools	Scraper		
BROCHURE	320596	320596	320596

T-MAX™ AIR-ASSISTED		T-MAX™ AIRLESS/AIR ASSISTED	
6912	6912	6912	6912
			
17X990	17X993	17Z285	17Z288
17X991	17X994	17Z286	17Z289
17X992	17Z282	17Z287	17Z290
Plaster 0.071"	Plaster 0.071"	Plaster 0.071"	Plaster 0.071"
12 (3.17)	12 (3.17)	12 (3.17)	12 (3.17)
69 (1000)	69 (1000)	69 (1000)	69 (1000)
2 (2.8)	2 (2.8)	2 (2.8)	2 (2.8)
External Compressor		External Compressor	
86 (190)	86 (190)	86 (190)	86 (190)
■	■	■	■
■	■	■	■
■	■	■	■
Remote Switch	Built in to STX™ gun	Remote Switch	Built in to STX™ gun
6 bags	6 bags	6 bags	6 bags
■	■	■	■
V-Packing	V-Packing	V-Packing	V-Packing
■	■	■	■
Optional	Optional	Optional	Optional
Optional	Optional	Optional	Optional
W4H, W6H, W8H, W10H, W12H, WXLH		HDA651 + HDA655	
4mm, 6mm, 8mm, 10mm	4mm, 6mm, 8mm, 10mm, 12mm	HDA651 + HDA655	
FreeFlo™ - 17Z128	STX™ - 17Y910	W4H, W6H, W8H, W10H, W12H, WXLH	
1" x 5m - 289960		4mm, 6mm, 8mm, 10mm	4mm, 6mm, 8mm, 10mm, 12mm
1" x 10m - 289961		RAC X™ - 246215	
3/4" x 3m - 289959		T-Max™ Lance - 17Z054	T-Max™ Lance - 17Z054
■		FreeFlo™ - 17Z128	STX™ - 17Y910
Scraper		1" x 5m - 289960	1" x 10m - 289961
320596	320596	3/4" x 3m - 289959	
		■	
		Scraper	
		320596	320596

SPECIFICATIONS & PRICING

TEXTURE - 3

RTX™		
	5500 PI	5500 PX
		
SPECIFICATIONS		
Part Numbers: EU, IT, DK, CH, UK - 230V	17H577	17H580
Max. Flow - l/min (gpm)	21 (5.5)	21 (5.5)
Max. Pressure - bar (PSI)	7 (100)	7 (100)
Motor rating - kW (HP)	1.5 (2.0) - Brushless MaxPower™	
Compressor l/min	257	257
Max. Air Working Pressure - bar (PSI)	3.5 (50)	3.5 (50)
Weight - kg (lbs)	74.4 (164)	78.9 (174)
FEATURES		
Pump	RotoFlex™ II	RotoFlex™ II
External Air Kit		■
Hopper	57L	57L
Pressure Gauge	■	■
ProGuard™	■	■
COMPOSITION		
WideTex Tips	4mm, 6mm, 8mm, 10mm, 12mm	4mm, 6mm, 8mm, 10mm, 12mm (Hardened)
Nozzles	3mm, 4mm, 6mm, 8mm, 10mm, 12mm	
Gun	Air Spray Trigger gun - 24S135	
Hose	Transparent 1" x 7.5m - 17J420	Heavy Duty 1-1/4" x 7.5m - 17L005
Toolbox	■	
BROCHURE	300661	300661

SPECIFICATIONS & PRICING

TEXTURE - 3

COMPRESSOR-HOPPER

	FASTFINISH		G-TEX	FASTFINISH
	COMPRESSOR	STANDARD (PRO)	HOPPER GUN	HOPPER GUN
				
SPECIFICATIONS				
Part numbers: EU, IT, DK, CH, UK - 230V	25D491	25D495 (Standard version) 25D493 (Pro version)	25D497	25D496
Compressor l/min	255	255	-	-
Max. air working pressure - bar (PSI)	Preset 2.75 (40)	Preset 2.75 (40)	-	-
Weight - kg (lbs)	33.5 (74)	35.18 (78.8)	1.85 (4.1)	2.18 (4.8)
FEATURES				
Pressure Boosted Hopper Gun		Pro version		■
Hopper		7.5 L (Standard version) 5.5L (Pro version)	7.5L	5.5L
Pressure/Flow dial		Pro version		■
Flat-Proof Tires	■	■		
COMPOSITION				
Nozzles		4mm, 6mm, 8mm	4mm, 6mm, 8mm	4mm, 6mm, 8mm
Air orifice		2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm	2mm, 2.5mm, 3mm
Gun		G-TEX Gravity-Fed - 25D497 (Standard version) FastFinish Pressure-Boosted - 25D496 (Pro version)	G-TEX Gravity-Fed - 25D497	FastFinish Pressure-Boosted - 25D496
Hose	3/8" x 15m - 17U302			
BROCHURE	300760	300760	300760	300760

SPECIFICATIONS & PRICING

TEXTURE - 4

	APX 5200	APX 6200 8200	
			
SPECIFICATIONS			
Part Numbers: EU - 230V	-	17N345 17N346	17N352 17N353
Part Numbers: IT, DK, CH - 230V	-	17N343 17N344	17N350 17N351
Part Numbers: UK - 110V	17S762 17V697	-	-
Max. Tip Size	0.049"	0.051"	0.057"
Max. Flow - l/min (gpm)*	5.1 (1.35)	6.0 (1.6)	8.3 (2.2)
Max. Pressure - bar (PSI)	207 (3000)	207 (3000)	207 (3000)
Motor rating - kW (HP)	1.86 (2.5) DC Brushless	1.86 (2.5) DC Brushless	3 (4) DC Brushless
Weight - kg (lbs)	69 (151)	69 (151)	78 (170)
FEATURES			
ProGuard™	■	■	■
Endurance™ Pump	Hard Chrome	Hard Chrome	Hard Chrome
LED Display	■	■	■
Hopper	80L (6 bags)	60L (4 bags)	80L (6 bags)
Bag Roller		17N346 + 17N344	17N353 + 17N351
Vibra-Flo™ Shaker	■	■	■
ProConnect II	■	■	■
COMPOSITION			
Tips	HDA531	HDA641	
Guard	RAC X™ - 246215	RAC X™ - 246215	
Gun	HD Blue Texture - 289605 (17S762) HD Inline Texture 245820 (17V697)	HD Inline Texture - 245820	
Hose	BlueMax™ II 1/2" x 15m - 278499	X-Flo 5/8" x 15m - 17N984	
Whip hose	BlueMax™ II 3/8" X 3.5M - 191239	Super-Flex™ 1/2" x 4.5m - 17N982	
Toolbox	■	■	■
BROCHURE	300743	300743	300743

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.



SPECIFICATIONS & PRICING

HEAVY DUTY - 1



SPECIFICATIONS			
Part Numbers	17G999	17H810 (17H819)	17H818 (17H820)
Max. tip size: 1 gun	0.036"	0.043"	0.047"
Max. tip size: 2 guns	0.023"	0.029"	0.035"
Max. flow - l/min. (gpm)*	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Engine displacement cm³	120	200	200
Weight - kg (lbs)	50 (109)	64 (139)	67 (146)
FEATURES			
SmartControl™	3.0	3.0	3.0
LED display			
Hydraulic Pressure Gauge	■	■	■
Endurance™ Pump	■	■	■
Pump type	Paint	Paint (HD Texture)	Paint (HD Texture)
ProConnect 2			
Piston rod	Chromex	Chromex (Hard Chrome)	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	MaxLife™
MaxFlo 2		■	■
Rock Catcher	Standard	Standard	Standard
TiltBack™	■	■	■
QuickReel™			
Flat-Proof Tires			
COMPOSITION			
Tips	PAA517	PAA517 (LTX427, LTX531)	
Guard	RAC X™ - 246215		
Gun	Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)	
Gun Filter (mesh)	Easy Out™ 60 - 287032		
Hose	Blue Max™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m - 240797 (1/4" x 15m - 240797)	
Whip hose		(BlueMax™ II 1/4" X 0.9 M - 241735)	
Tools	■**		
BROCHURE	300718	300718	300718

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.

** 118 ml TSL™ 238049

GMAX™ II PROCONTRACTOR			GMAX™ II IRONMAN	
3900	5900 (5900 HD)	7900 (7900 HD)	5900	7900 (7900 HD)
				
17E828	17E832 (17E840)	17E837 (17E842)	17E833	17E838 (17E843)
0.036"	0.043"	0.048"	0.043"	0.047"
0.023"	0.029"	0.035"	0.029"	0.035"
4.7 (1.25)	6.0 (1.6)	8.3 (2.2)	6.0 (1.6)	8.3 (2.2)
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
120	200	200	200	200
57 (125)	70 (155)	74 (161)	64 (139)	67 (146)
3.0	3.0	3.0	3.0	3.0
■	■	■	■	■
	■	■		
Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex	Endurance™ Vortex
Paint	Paint (HD Texture)	Paint (HD Texture)	Paint	Paint (HD Texture)
■	■	■	■	■
MaxLife™	MaxLife™	MaxLife™	MaxLife Extreme™	MaxLife Extreme™
MaxLife™	MaxLife™	MaxLife™	MaxLife™	MaxLife™
	(■)	(■)	■	■ (■)
CrushProof	CrushProof	CrushProof	CrushProof	CrushProof
■	■	■		
■	■	■	■	■
			■	■
PAA517	PAA517 (LTX427, LTX531)		PAA517 (LTX427, LTX531)	
RAC X™ - 246215			RAC X™ - 246215	
Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)		Contractor™ PC - 17Y043	Contractor™ PC - 17Y043 (HD Blue Texture - 289605)
Easy Out™ 60 - 287032				
BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m 240794 (3/8" x 15m - 240797)		BlueMax™ II 1/4" x 15m - 240794	BlueMax™ II 1/4" x 15m 240794 (3/8" x 15m - 240797)
	(BlueMax™ II 1/4" X 0.9m - 241735)			(BlueMax™ II 1/4" X 0.9m - 241735)
	■**		■**	
300719	300719	300719	300769	300769

SPECIFICATIONS & PRICING

HEAVY DUTY - 2

DUTYMAX™ STANDARD

EH230DI

GH230DI

EH300DI

GH300DI



SPECIFICATIONS				
Part Numbers	24W941	24W943	24W965	24W967
Max. tip size: 1 gun	Paint 0.039" Plaster 0.047"	Paint 0.053" Plaster 0.057"	Paint 0.057" Plaster 0.063"	Paint 0.057" Plaster 0.063"
Max. flow - l/min (gpm)*	5.9 (1.56)	8.9 (2.35)	11.3 (3.0)	11.3 (3.0)
Max. pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)	227 (3300)
Motor	Electric 230V	Gas	Electric 380V	Gas
Motor rating - kW (HP)	2.2 (3)		5.5 (7.5)	
Engine displacement - cm³		200		270
Weight - kg (lbs)	89 (197)	90 (199)	107 (236)	99 (218)
FEATURES				
SmartControl™			Phase Control	
Endurance™ Pump	■	■	■	■
Hydraulic driven pump	■	■	■	■
QuikReel™				
Hose Rack	■	■	■	■
MaxLife™				
Convertible (electric-gas)	■	■	■	■
ProConnect™				
COMPOSITION				
Tips	HDA427 + HDA531		HDA643 + WA1239	
Guard	RAC X™ - 246215			
Gun	HD Blue Texture - 289605		HD Inline Texture - 245820	
Hose	Blue Max™ II 3/8" x 15m - 240797		Blue Max™ II 1/2" x 15M - 278499	
Whip hose	Blue Max™ II 1/4" x 0.9m - 241735		Blue Max™ II 3/8" x 3.5m - 191239	
Tools	■**			
BROCHURE	300722	300722	300722	300722

* Flow rates vary with different plasters. Smaller ID ceramic balls provide higher flow with plaster then SST balls with paint.

** 118 ml TSL™ 238049

DUTYMAX™ PROCONTRACTOR					DUTYMAX™ HIGH PRESSURE	
EH230DI	GH230DI	DH230DI	EH300DI	GH300DI	EH675DI	GH675DI
						
24W942	24W962	17G592	24W966	24W968	25D224	25D223
Paint 0.039" Plaster 0.047"	Paint 0.053" Plaster 0.057"	Paint 0.053" Plaster 0.057"	Paint 0.057" Plaster 0.063"	Paint 0.057" Plaster 0.063"	0.041"	0.041"
5.9 (1.56)	8.9 (2.35)	8.9 (2.35)	11.3 (3.0)	11.3 (3.0)	5.7 (1.5)	5.7 (1.5)
227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3300)	465 (6750)	465 (6750)
Electric 230V	Gas	Diesel	Electric 380V	Gas	Electric 380V	Gas
2.2 (3)			5.5 (7.5)		5.5 (7.5)	
	200	349		270		270
103 (227)	104 (229)	130 (287)	120 (266)	112 (248)	107 (236)	99 (218)
			Phase Control		Phase Control	
■	■	■	■	■	■	■
■	■	■	■	■	■	■
■	■	■	■	■		
					■	■
Sleeve	Sleeve	Sleeve	Sleeve	Sleeve		
■	■		■	■	■	■
■	■	■	■	■		
HDA427 + HDA531					XHD527 + XHD531	XHD527 + XHD531
RAC X™ - 246215					XHD - XHD001	XHD - XHD001
HD Blue Texture - 289605					XTR7 HF - XTR706	XTR7 HF - XTR706
2 x Blue Max™ II 3/8" x 15m - 240797					1/2" x 15m - H75050	1/2" x 15m - H75050
Blue Max™ II 1/4" x 0.9m - 241735					3/8" x 3m - H73810	3/8" x 3m - H73810
■**					■**	■**
300723	300723	-	300723	300723	300758	300758

SPECIFICATIONS & PRICING

HEAVY DUTY - 3

GH™ BIG RIG

1017

2570

733

833



SPECIFICATIONS

Part Number: Bare

-

-

-

253471

Part Number: Bare Electric Start

16U277

16U278

16U279

16V258

Part Number: OEM kit

-

24U325

-

253473

Max. tip size

-

-

0.065"

0.065"

Max. flow - l/min (gpm)

62.5 (16.5)

26.5 (7.0)

15.1 (4.0)

15.1 (4.0)

Max. pressure - bar (PSI)

70 (1000)

172 (2500)

276 (4000)

276 (4000)

Engine displacement - cm³

390

390

390

390

Electric Start

Yes

Yes

Yes

Only 16V258

Weight - kg (lbs)

215 (473)

16U278 - 214 (471)
24U325 - 62 (136)

197 (434)

253471 - 163 (360)
16V258 - 181 (398)
253473 - 29 (63)

FEATURES

Pump type

Xtreme Piston
QuikChange™

Xtreme Piston
QuikChange™

Xtreme Piston
QuikChange™

Endurance™ Piston

Hydraulic driven pump

■

■

■

■

Sleeve

Hard Chrome

Hard Chrome

Hard Chrome

MaxLife™

Piston Rod

Hard Chrome

Hard Chrome

Chromex

MaxLife™

Packing

XtremeSeal/Leather

PTFE/Leather

XtremeSeal/Leather

V-Max Blue™

Tie Rod

Silver - 16U336

Gold - 16U339

Silver - 16U336

-

Filter

No

No

No

Easy-Out™

Pulsation Dampener

Yes

No

No

No

Siphon Set - 200 liter

2.0" ID PVC

2.0" ID PVC

1.25" ID Nylon

1.5" ID PVC

Hose Rack

■

■

■

■

COMPOSITION

Bare units.
Contact Graco for unit configurations

BROCHURE

320593

320593

320593

320593

GH™ BIG RIG		
5040		933
		
	-	16U281
	16U280	16U285
	-	-
	0.067"	0.053"
	13.2 (3.5)	9.5 (2.5)
	345 (5000)	500 (7250)
	390	390
	Yes	Only 16U285
	199 (438)	16U281 - 181 (398) 16U285 - 199 (438)
	Xtreme Piston QuikChange™	Xtreme Piston QuikChange™
	■	■
	Hard Chrome	Hard Chrome
	Hard Chrome	Chromex
	XtremeSeal/Leather	XtremeSeal/Leather
	Silver - 16U336	Silver - 16U336
	No	Yes
	No	No
	2.0" ID PVC	1.0" ID Nylon
	■	■
Bare units. Contact Graco for unit configurations		
	320593	320593

SPECIFICATIONS & PRICING

PROFESSIONAL CLEANING

G-FORCE™ II

3325 HA-DD

3230 HA-DD



SPECIFICATIONS		
Part Numbers	25N638	25N639
Max Pressure - bar (PSI)	227 (3300)	220 (3200)
Max. flow - l/min (gpm)	9.46 (2.5)	11.36 (3)
Engine displacement - cm³	200	270
Pump	AR Brass Triplex	AR Brass Triplex
Weight - kg (lbs)	30.4 (67)	37.2 (82)
FEATURES		
Gardena® Connection	■	■
Chemical injector	Integrated	Integrated
Direct Driven	■	■
Belt Driven		
Adjustable Unloader	Integrated	Integrated
Easy Start Pressure Relief	■	■
Light Weight Aluminium Frame	■	■
Thermo-sensor	■	■
Cold Water	■	■
COMPOSITION		
Tips	0° - 805591 15° - 805592 25° - 805593 chemical tip - 805634	0° - 805539 15° - 805540 25° - 805541 chemical tip - 805634
Gun	90cm + QDs - 244784	
Filter (mesh)	50	
Hose	15m + QDs - 244783	
Engine oil	■	
BROCHURE		
	320582	320582

G-FORCE™ II

4040 HG-DD

4040 HC-DD

**G-FORCE™ II**

4040 HG-BD

4040 HC-BD



25N681

25N682

275 (4000)

275 (4000)

15.14 (4)

15.14 (4)

390

390

GP Brass Triplex

CAT Brass Triplex

58.5 (129)

60.3 (133)

25N683

25N684

275 (4000)

275 (4000)

15.14 (4)

15.14 (4)

390

390

GP Brass Triplex

CAT Brass Triplex

72.1 (159)

71.6 (158)



External

External



0° - 805543
 15° - 805544
 25° - 805545
 40° - 805546
 chemical tip - 805634

90cm + QDs - 244784

50

15m + QDs - 244783



320582

320582

0° - 805543
 15° - 805544
 25° - 805545
 40° - 805546
 chemical tip - 805634

90cm + QDs - 244784

50

15m + QDs - 244783



320582

320582



ACCESSORIES

SPECIFICATIONS & PRICING

Touch-Up Accessories	p.	36 - 37
Fine Finish Accessories	p.	38 - 43
Airless Accessories	p.	44 - 65
Texture Accessories	p.	66 - 71
Heavy Duty Accessories	p.	72
Professional Cleaning Accessories	p.	73
General Parts	p.	74 - 75



CanConnect™, connect your paint cans directly to your Ultra Airless Handheld sprayer. Designed to fit your 1 liter paint can, the CanConnect™ acts as a holder for your paint can allowing your Ultra Airless Handheld™ to use the paint directly from the paint can.

ULTRA AIRLESS HANDHELD

	PART NUMBER	DESCRIPTION
	17M867	CANCONNECT, ULTRA(MAX) HANDHELD
	17P550	KIT CUP COMPLETE - 1L (32 OZ) STANDARD, ULTRA HANDHELD
	17P551	KIT CUP COMPLETE - 1L (32 OZ) SOLVENT, ULTRAMAX HANDHELD
	17P552	KIT CUP COMPLETE - 1.25L (42 OZ) STANDARD, ULTRA HANDHELD
	17P553	KIT CUP COMPLETE - 1.25L (42 OZ) SOLVENT, ULTRAMAX HANDHELD
	17A226	LINER 1L (32 OZ) (X3)
	17P212	LINER 1L (32 OZ) (X25)
	17F005	LINER 1.25L (42 OZ) (X3)
	17P549	LINER 1.25L (42 OZ) (X25)
	17N392	CUP, 1L (32 OZ)
	17D850	CUP, 1.25L (42 OZ)
	17N515	LID ASSEMBLY - STANDARD, ULTRA HANDHELD
	17N517	LID ASSEMBLY - SOLVENT, ULTRAMAX HANDHELD
	17M879	LID PLUG, ULTRA HANDHELD

TOUCH-UP ACCESSORIES

	PART NUMBER	DESCRIPTION
	17P554	FILTER - 60 MESH (X3)
	17P555	FILTER - 100 MESH (X3)
	17P501	TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)
	17P502	TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5)
	17P557	BATTERY 18V LI-ION ULTRA(MAX) HANDHELD
	17P560	CHARGER, ULTRA(MAX) HANDHELD, 230V
	17M883	STORAGE BAG
	253574	PUMP ARMOR 1L (32 OZ)
	246215	RAC X GUARD 7/8" - STANDARD, ULTRA HANDHELD
	17P573	RAC X GUARD 1" - SOLVENT, ULTRAMAX HANDHELD
	16H256	GROUNDING CABLE
	17P712	VACUVALVE CAP (X3)
	17P185	TRIAx PUMP ULTRA HANDHELD AC
	17P186	TRIAx PUMP ULTRA HANDHELD DC
	17P187	TRIAx PUMP ULTRAMAX HANDHELD DC



Quick Needle Exchange
Change needles from the front of the gun with just a click
Easy to change, easy to clean with no tools needed

HVLP GUNS & ACCESSORIES

HVLP EDGE II GUNS & ACCESSORIES

	PART NUMBER	DESCRIPTION
	17P481	HVLP EDGE II GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP
	17P483	HVLP EDGE II PLUS GUN, 1L (32 OZ) FLEXLINER CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P653	HVLP EDGE II GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP
	17P484	HVLP EDGE II PLUS GUN, SIPHON CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P654	HVLP EDGE II PLUS PROCOMP GUN, NO CUP, #3 FLUID SET (17P486), TRIGGER STOP, ARTISAN AIR CONTROL, FAN WIDTH CONTROL
	17P485	HVLP EDGE II QUICK RELEASE FLUID SET #2 (0.8 MM)
	17P486	HVLP EDGE II QUICK RELEASE FLUID SET #3 (1.3 MM)
	17P487	HVLP EDGE II QUICK RELEASE FLUID SET #4 (1.8 MM)
	17P488	HVLP EDGE II QUICK RELEASE FLUID SET #5 (2.2 MM)
	17P489	HVLP EDGE II QUICK RELEASE FLUID SET #6 (2.5 MM)
	17P490	HVLP EDGE II QUICK RELEASE FLUID SET #7 (2.8 MM)
	17P709	HVLP EDGE II GUN AIR CAP
	17P492	HVLP EDGE II GUN RETAINING RING
	17P493	HVLP EDGE II PLUS GUN RETAINING RING
	17P718	HVLP EDGE II TRIGGER STOP KIT
 	256927	ARTISAN AIR CONTROL KIT
	17P491	HVLP EDGE II GUN EXTENSION, 30CM

FINE FINISH ACCESSORIES

HVLP EDGE GUN ACCESSORIES

	PART NUMBER	DESCRIPTION
	256946	HVLP EDGE QUICK RELEASE FLUID SET #2 (0.8 MM)
	256947	HVLP EDGE QUICK RELEASE FLUID SET #3 (1.3 MM)
	256948	HVLP EDGE QUICK RELEASE FLUID SET #4 (1.8 MM)
	256949	HVLP EDGE QUICK RELEASE FLUID SET #5 (2.2 MM)
	256950	HVLP EDGE QUICK RELEASE FLUID SET #6 (2.5 MM)
	256951	HVLP EDGE GUN AIR CAP
	256861	HVLP EDGE GUN RETAINING RING
	257086	HVLP EDGE TRIGGER STOP KIT
	256927	ARTISAN AIR CONTROL KIT
	256952	HVLP EDGE GUN EXTENSION, 25CM

	EDGE I		EDGE II		EDGE II PLUS	
TRIGGER STOP	257086		17P718		-	-
ARTISAN AIR CONTROL KIT	256927		256927		256927	
AIR CAP	256951		17P709		17P709	
RETAINING RING	256861		17P492		17P493	
GUN EXTENSION	256952		17P491		17P491	



Superflex Air Hose - 15% lighter weight than other leading brands for more control at the gun.
No tools hose connection.

HVLP CUPS, GASKETS, LINERS & HOSES

HVLP CUPS, GASKETS & LINERS

	PART NUMBER	DESCRIPTION
	17R462	HVLP EDGE II CUP, UNDER ASSEMBLY, 1L
	244132	HVLP EDGE CUP, (CUP ONLY), 1L, HVLP
	244130	HVLP EDGE CUP, UNDER ASSEMBLY, 1L HVLP
	257091	REMOTE CUP (CUP ONLY) 1L
	257098	REMOTE CUP 1L W/LID, 1.5M MATERIAL AIR
	287819	REMOTE CUP 2L W/LID, 1.5M MATERIAL AIR
	120126	CUP, (CUP ONLY), 2L, HVLP
	244136	CUP OVER KIT, 0.5 L
	240265	GASKET, 1L CUP (X5)
	M71425	GASKET, 1L REMOTE CUP (X5)
	244953	GASKET, 9.5L POLYETHYLENE, (X3) PRESSURE CUP

FINE FINISH ACCESSORIES

	PART NUMBER	DESCRIPTION
  	17A226	LINER 1L (32 OZ) (X3)
	17P212	LINER 1L (32 OZ) (X25)
	240266	LINER KIT, 1L (X40) HVLP
	112077	LINER KIT, 9.5 L (X5) HVLP PRESSURE CUP
	112078	LINER KIT, 9.5 L (X25) HVLP PRESSURE CUP

HVLP HOSES

	PART NUMBER	DESCRIPTION
	240475	MATERIAL HOSE, PRESSURE FEED, 3/8", 6M
	240476	MATERIAL HOSE, PRESSURE FEED, 3/8", 9M
	240477	MATERIAL HOSE, PRESSURE FEED, 3/8", 12M
	240478	MATERIAL HOSE, PRESSURE FEED, 3/8", 15M
	17R300	EDGE II SUPER-FLEX AIR HOSE, 3/4" INSIDE, 6M
	257159	SUPER-FLEX AIR HOSE, 3/4" INSIDE, 9M
	241414	SUPER-FLEX AIR HOSE, 3/4" INSIDE, 12M
	241423	SUPER-FLEX HOSE, AIR & MATERIAL, 9M
	17R299	EDGE II SUPER-FLEX WHIP AIR HOSE, 3/4" INSIDE, 1.2M



For larger jobs, with fine finish quality, the 1-liter cup might cause fatigue after hours of spraying. ProComp™ can make your work a lot lighter and more comfortable as this extra external compressor makes it possible to separate the material from the gun. The powerful compressor attaches to any HVLP TurboForce™ sprayer: it takes only a few seconds without any tools. No controls (kits available for manual settings)

HVLP ACCESSORIES VARIOUS

	PART NUMBER	DESCRIPTION
	244836	CONVERSION KIT
	240069	Y-CONNECTOR, 2 HOSES
	240282	QUICK DISCONNECT KIT, TURBINE AIR
	244133	TUBE, AIR PRESS, S GUN (X5)
	244135	CUP CHECK VALVE KIT (X5)
	256953	CLEANING BRUSH KIT
	256954	DELUXE CLEANING KIT
	256957	QUICKCLEAN CHECK VALVE ASSEMBLY
	256956	QUICKCLEAN CHECK VALVE (X3)
	256959	REMOTE CUP SHOULDER STRAP
	M70702	VISCOSITY CUP, FORD 4

FINE FINISH ACCESSORIES

	PART NUMBER	DESCRIPTION
	193218	CONE MATERIAL STRAINER
	240267	CONE MATERIAL STRAINER (X3)
	240273	TURBINE PRO-FILTER SET REPLACEMENT PAPER
	240274	PRO-FILTER REPLACEMENT KIT (X5)
	15W909	TURBINE FOAM FILTER



When selecting a gun, there are several factors to consider, such as the size of the fluid passage and diffuser, pressure rating, as well as the comfort and feel of the gun.

AIRLESS (AIR-ASSISTED) GUNS

	PART NUMBER	DESCRIPTION
	17Y043	CONTRACTOR PC GUN, RAC X, LP517
	19Y350	CONTRACTOR PC COMPACT GUN, RAC X, LP517
	262932	G40 GUN, FLAT TIP AAM309 (INCL. FAN REGULATOR)
	262929	G40 GUN, RAC TIP FFA210 (NO FAN REGULATOR)
	243238	SG3 GUN, 515 RAC 5
	17J910	SG3 GUN, 4F, RAC X, PAA515
	288438	FTX-E GUN, 4F, RAC X, PAA517
	288475	CONTRACTOR GUN, 2F, RAC X, PAA517
	246240	SILVER GUN, 2F WITH RAC X (LTX517) TIP AND RAC X GUARD, 345 BAR
	235460	SILVER GUN, 2F, GUARD, NO TIP
	235461	SILVER GUN, 4F, GUARD, NO TIP
	235462	SILVER GUN, 2F, FLAT TIP GUARD, NO TIP
	235465	SILVER GUN, 2F, BARE
	289605	HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP

AIRLESS ACCESSORIES

	PART NUMBER	DESCRIPTION
	245820	HD INLINE PLASTER GUN
	244364	CONTRACTOR IN-LINE GUN WITH FILTER, 250 BAR
	246468	FLEX GUN WITH RAC X 517
	289670	MASTIC GUN WITH DIFFUSER AND RAC X 535
	289671	MASTIC GUN, NO DIFFUSER WITH RAC X 535
	224472	MASTIC GUN, 36" (90CM), EXTENSION, 276 BAR
	248947	OVERSPRAY CONTROL KIT (LL5321, LL5419, 287030, 243295, AND 246538)

CONCRETE INJECTION SYSTEMS

	PART NUMBER	DESCRIPTION
	17E247	INJECTION KIT, GAUGE, FLEXIBLE FOR GUN
	17E248	INJECTION KIT, GAUGE, RIGID FOR GUN
	17E249	INJECTION KIT, GAUGE, FLEXIBLE AND VALVE
	17E250	INJECTION KIT, GAUGE, RIGID AND VALVE
	17E251	INJECTION KIT, FLEXIBLE FOR GUN
	17E252	INJECTION KIT, RIGID FOR GUN
	17E253	INJECTION KIT, FLEXIBLE AND VALVE
	17E254	INJECTION KIT, RIGID AND VALVE



OPTIMIZE FLOW AND PRESSURE

When extending your hose length (over 15 m), it is always recommended to increase your hose diameter. Larger ID reduces friction.

AIRLESS (AIR-ASSISTED) HOSES



PART NUMBER

DESCRIPTION

214981	BLUEMAX II HOSE 3/16" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR
214698	BLUEMAX II HOSE 3/16" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
214697	BLUEMAX II HOSE 3/16" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
223756	BLUEMAX II HOSE 1/4" X 4.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240793	BLUEMAX II HOSE 1/4" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240794	BLUEMAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
241272	BLUEMAX II HOSE 1/4" X 18M (FBE), 1/4"18NPSM FXF, 227 BAR
223771	BLUEMAX II HOSE 1/4" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR
277250	BLUEMAX II HOSE 1/4" X 15M (FBE), 1/4"18NPSM FXF, 276 BAR
278499	BLUEMAX II HOSE 1/2" X 15M (FBE), 1/2"14NPSM FXF, 227 BAR
240796	BLUEMAX II HOSE 3/8" X 7.5M (FBE), 1/4"18NPSM FXF, 227 BAR
240797	BLUEMAX II HOSE 3/8" X 15M (FBE), 1/4"18NPSM FXF, 227 BAR
241275	BLUEMAX II HOSE 3/8" X 30M (FBE), 1/4"18NPSM FXF, 227 BAR
277251	BLUEMAX II HOSE 3/8" X 15M (FBE), 3/8"18NPSM FXF, 276 BAR
238358	BLUEMAX II WHIP 3/16" X 0.9M, 1/4"18NPSM MXF, 227 BAR
238959	BLUEMAX II WHIP 3/16" X 1.4M, 1/4"18NPSM MXF, 227 BAR
238359	BLUEMAX II WHIP 3/16" X 1.8M, 1/4"18NPSM MXF, 227 BAR
25C828	BLUEMAXX II WHIP 1/8" X 1.4M, 1/4"18NPSM MXF, 227 BAR
277249	BLUEMAX II WHIP 1/4" X 0.9M, 1/4"(F) X 3/8"(M) 18NPSM, 276 BAR
241735	BLUEMAX II WHIP 1/4" X 0.9M, 1/4"(F) X 3/8"(M) 18NPSM, 227 BAR
277351	BLUEMAX II WHIP 3/8" X 0.9M, 1/8"(F) 18NPSM X 1/2"(M) 14NPT, 276 BAR
191239	BLUEMAX II WHIP 3/8" X 3.5M, 3/8" 318NPSM FXF, 227 BAR

AIRLESS ACCESSORIES

	PART NUMBER	DESCRIPTION
	289959	T-MAX 506/657/6912 WHIP HOSE 3/4" X 3M, CAM M X F, 69 BAR
	26A802	T-MAX 506/657/6912 WHIP HOSE 3/4" X 10M, CAM M X F, 69 BAR
	289960	T-MAX 506/657/6912-MATERIAL HOSE 1" X 5M, CAM M X F, 69 BAR
	289961	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 10M, CAM M X F, 69 BAR
	17Z187	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 15M, CAM M X F, 69 BAR
	17Z188	T-MAX 506/657/6912-MATERIAL HOSE, 1" X 30M, CAM M X F, 69 BAR
	248557	T-MAX,AIR HOSE KIT 3/8" X 15M + REGULATOR, 1/4"-18NPTM M X F, 17 BAR
	17J420	TRANSLUCENT HOSE KIT 1" X 7,5M
	17J421	TRANSLUCENT HOSE KIT 1" X 15M
	17J454	TRANSLUCENT HOSE KIT 3/4" X 7,5M
	17L000	HD HOSE KIT 1" X 7,5M
	17L003	HD HOSE KIT 1" X 15M
	17L005	HD HOSE KIT 1-1/4" X 7,5M
	17L009	HD HOSE KIT 1-1/4" X 15M
	17L010	HD WHIP HOSE 1" X 3M
	287314	ROTOFLEX PUMP HOSE KIT
	256976	STRAPPED HOSE, 7.5M AIR + FLUID, FP290
	257520	STRAPPED HOSE EXTENSION, 7.5M FP290
	24U578	SUPER-FLEX FLUID AND AIR HOSE SET 7.5M, INCLUDING 2M WHIP HOSE
	24U579	SUPER-FLEX FLUID AND AIR HOSE SET 15M, INCLUDING 2M WHIP HOSE
	278750	SUPER-FLEX WHIP HOSE, 1/8" X 2M
	17N982	SUPER-FLEX WHIP HOSE, 1/2" X 4.5M (APX)
	24U576	FLEX WRAP HOSE PROTECTOR 7,5M
	24U577	FLEX WRAP HOSE PROTECTOR 15M
	17N984	X-FLO HOSE 5/8" X 15M (APX)



OPTIMIZE EFFICIENCY

Whether you simply need to replace your worn-out spray kits, or whether you want one spray line for solvent-based material and another for waterborne: complete Gun/Tip/Hose Kits exist for each of the gun types


AIRLESS (AIR-ASSISTED) GUN, TIP & HOSE KITS

	PART NUMBER	DESCRIPTION
	17Y051	CONTRACTOR PC GUN, RAC X, LP517, 1/4"X15M + WHIP 3/16" X 1.5M
	17Y220	CONTRACTOR PC GUN, RAC X, FFLP210 + FFLP312, 3/16" X 7.5M, 25CM EXTENSION + 2 X 100 MESH FILTERS + SOLVENT KIT)
	19Y445	CONTRACTOR PC COMPACT GUN, RAC X, LP517, WHIP 1/8" X 1.4M
	19Y489	CONTRACTOR PC COMPACT GUN, RAC X, LP517, 1/4" X 15M + WHIP 1/8"X 1.4M
	24V155	G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 7.5M (DELIVERED WITH 262932 + 24U578)
	24V156	G40 GUN, TIP, 2M WHIP, SUPERFLEX FLUID AND AIR HOSE KIT 15M (DELIVERED WITH 262929 + 24U579)
	288499	FTX-E GUN, 4F, RAC X (517,60M), 1/4"X15M + WHIP 3/16"X 0.9M
	288491	CONTRACTOR GUN, RAC X (621), 1/4" X 15M + WHIP HOSE 3/16" X 0.9M
	289611	HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X 15M + WHIP 1/4" X 0.9M

AIRLESS ACCESSORIES




RAC X guard is compatible with RAC X tips.



AIRLESS GUARDS

	PART NUMBER	DESCRIPTION
	246215	GUARD RAC X 7/8" THREAD - 250BAR
	246437	GUARD RAC X 11/16" THREAD 250 BAR
	246770	GUARD RAC X M18 X 1.5 THREAD - 250BAR
	243161	GUARD RAC V, 7/8" THREAD - 250 BAR
	243263	GUARD RAC V, 11/16" THREAD - 250 BAR
	220247	GUARD FF FLAT TIP, 7/8" THREAD - 250 BAR
	220249	GUARD FF FLAT TIP, 11/16" THREAD - 250 BAR
	220251	GUARD FLAT TIP, 7/8" THREAD - 350 BAR
	220255	GUARD FLAT TIP, 11/16" THREAD - 350 BAR
	224454	TIP FILTER, 60 MESH (5X)
	238564	TIP FILTER, 60 MESH (25X)
	224453	TIP FILTER, 100 MESH (5X)
	238562	TIP FILTER, 100 MESH (25X)
	220254	KIT (60 MESH + 100 MESH + GUARD)
	127465	INLINE AIRFILTER, DISPOSIBLE
	24U981	INLINE AIRFILTER, DISPOSIBLE (5X)
	24U982	INLINE AIRFILTER, DISPOSIBLE (25X)
	246215	RAC X GUARD 7/8" - STANDARD, ULTRA HANDHELD
	17P573	RAC X GUARD 1" - SOLVENT, ULTRAMAX HANDHELD



EXTEND YOUR REACH

A full range of accessories has been developed to highly increase the comfort, the speed and the productivity that you need to paint hard-to-reach areas.

AIRLESS POLE GUNS, CLEANSHOT & TIP EXTENSIONS

	PART NUMBER	DESCRIPTION
	287019	25 CM TIP EXTENSION WITH RAC X GUARD
	287020	40 CM TIP EXTENSION WITH RAC X GUARD
	287021	50 CM TIP EXTENSION WITH RAC X GUARD
	287022	75 CM TIP EXTENSION WITH RAC X GUARD
	232121	FIXED EXTENSION, HD, 25 CM
	232122	FIXED EXTENSION, HD, 50 CM
	232123	FIXED EXTENSION, HD, 100 CM
	232124	FIXED EXTENSION, HD, 150 CM
	232125	FIXED EXTENSION, HD, 200 CM
	287026	CLEANSHOT POLE GUN, 90 CM W/RAC X (517)
	287027	CLEANSHOT POLE GUN, 180 CM W/RAC X (517)
	244163	CLEANSHOT EXTENSION, 90 CM
	244164	CLEANSHOT EXTENSION, 180 CM
	287030	CLEANSHOT SHUT-OFF VALVE, RAC X (517) (SWIVELS)
	248947	OVERSPRAY CONTROL KIT (LL5321, LL5419, 287030, 243295, 246538)



Use RAC™ X seat and gasket only with RAC™ X switch tips and guards.
Choose the orange gasket for solvent materials.

AIRLESS GASKETS & TIP SEAT KITS

	PART NUMBER	DESCRIPTION
	15A978	RAC X GASKET (BLACK)
	15E557	RAC X GASKET, SOLVENT (ORANGE)
	115524	RAC V GASKET (BLACK)
	108962	RAC IV GASKET (BLACK)
	222155	RAC IV GASKET (BLACK, X20)
	111025	RAC IV GASKET, SOLVENT (YELLOW)
	224082	RAC IV GASKET, SOLVENT (YELLOW, X20)
	15A981	RAC X SEAT
	195558	RAC V SEAT
	181603	RAC IV SEAT
	246453	RAC X SEAT + GASKET (BLACK, X5)
	248936	RAC X SEAT + GASKET, SOLVENT (ORANGE, X5)
	243281	RAC V SEAT + GASKET (BLACK, X5)
	221176	RAC IV SEAT + GASKET (BLACK, X5)
	17P501	TIP SEAT/GASKET - STANDARD, ULTRA HANDHELD (X5)
	17P502	TIP SEAT/GASKET - SOLVENT, ULTRAMAX HANDHELD (X5)





Graco's JetRoller™ is the perfect solution for contractors looking for a flexible lightweight tool designed to dramatically speed up their paint roller projects. It combines the efficiency of airless spraying with the benefits of a rolled finish in a design that virtually eliminates over spray.

JETROLLER

PART NUMBER	DESCRIPTION
24V490	JETROLLER W/ 0.5M EXTENSION & INLINE GUN, 18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP
24V491	JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721 TIP
24W128	JETROLLER EURO, 0.5M EXTENSION, INLINE GUN, 45CM FRAME, CLEANSHOT, RAC X GUARD & WR1223 TIP
25A841	JETROLLER UK, 20" EXTENSION , 9" FRAME, CLEANSHOT, RAC X GUARD & 721 TIP
24V492	JETROLLER W/ 0.5M EXTENSION, 18CM FRAME, CLEANSHOT, RAC X GUARD & 515 TIP
24V493	JETROLLER W/ 0.5M EXTENSION, 25CM FRAME, CLEANSHOT, RAC X GUARD & 721
24V829	FRAME JETROLLER, 9"
24V830	FRAME JETROLLER, 18CM
24V831	FRAME JETROLLER, 25CM
24V832	EXTENSION JETROLLER FRAME



On smaller jobs, if conditions such as wind prevent spraying and when an airless finish quality is not required, rolling paint is the alternative.

AIRLESS ROLLERS

AIRLESS ROLLERS & ROLLER COVERS

	PART NUMBER	DESCRIPTION
	244279	FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM
	244281	TELESCOPIC INTERIOR ROLLER 45-90 CM, EVENFLOW HEAD 23CM, COVER 12MM
	245397	FIXED INTERIOR ROLLER 50CM, EVENFLOW HEAD 23CM, COVER 12MM, INLINE GUN
	6880095	EXTERIOR ROLLER KIT 30CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	6880096	EXTERIOR ROLLER KIT 45CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	6880097	EXTERIOR ROLLER KIT 90CM, GEOSPERSER 23CM, COVER 14MM, INLINE GUN
	098085	TELESCOPIC EXTERIOR ROLLER KIT 45-90CM, GEOSPERSER 23CM, COVER 20MM, INLINE GUN
	098084	TELESCOPIC EXTERIOR ROLLER KIT 90-180CM, GEOSPERSER 23CM, COVER 20MM, INLINE GUN
	107589	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 10MM, SYNTHETIC
	107590	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 12MM, SYNTHETIC
	107591	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 19MM, SYNTHETIC
	186944	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 30CM, COVER 12MM, SYNTHETIC
	186945	INTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 30CM, COVER 19MM, SYNTHETIC
	098205	EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 14MM, REINFORCED
	098206	EXTERIOR ROLLER COVER, EVENFLOW+GEOSPERSER 23CM, COVER 20MM, REINFORCED

AIRLESS ACCESSORIES

AIRLESS ROLLER HEADS & EXTENSIONS

	PART NUMBER	DESCRIPTION
	244271	EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR FIXED HD POLES
	244623	EVENFLOW ROLLER HEAD (23CM), COVER 12MM, FOR TELESCOPING POLES
	240005	GEOSPERSEROLLER HEAD (23CM) NO COVER FIXED
	218935	GEOSPERSEROLLER HEAD (23CM) NO COVER TELESCOPIC
	224268	GEOSPERSEROLLER HEAD (30CM) NO COVER TELESCOPIC
	218775	TELESCOPIC ROLLER EXTENSION (45-90 CM) W.244825
	218776	TELESCOPIC ROLLER EXTENSION (90-180 CM) W.244825
	218777	TELESCOPIC ROLLER EXTENSION (180-360 CM) W.244825

AIRLESS ROLLER ADAPTERS

	PART NUMBER	DESCRIPTION
	244825	ADAPTER 1/4"TO 7/8" FOR TELESCOPIC ROLLER EXTENSION
	224399	ADAPTER 45DEG SWIVEL 7/8" (F X M)
	224398	ADAPTER 1/8" TO 7/8" FOR HD EXTENSIONS



OPTIMIZE FINISH QUALITY

In a standard airless system, the paint passes through 3 filters before atomisation: inlet screen, pump filter and the gun filter.



The first filter is the biggest, the last one, the smallest.

AIRLESS INLET STRAINERS, GUN & PUMP FILTERS

AIRLESS INLET STRAINERS

	PART NUMBER	DESCRIPTION
	106114	INLET STRAINER 60 MESH GH ROOF RIGS
	167759	INLET STRAINER, EH 433
	181072	INLET STRAINER, 1" 8 MESH, ULTRA(+), MAX / EM500
	181073	INLET STRAINER, 1/2", ULTRA(+), MAX/EM5000/GMAX
	183770	INLET STRAINER 3/4" 8 MESH, 190ES, ST PRO 395/495
	187119	INLET STRAINER 1 1/2" GM 1030
	189920	INLET STRAINER 1" 8 MESH, MARK V.HD, GMAX 5900HD, GMAX 7900
	235004	INLET STRAINER 3/4-16UNF, 390ST/490ST/395ST/ 495ST
	237675	INLET STRAINER 1/2", 490ST UPRIGHT
	237820	INLET STRAINER 5/8", 290 EASY
	237840	INLET STRAINER 1 1/4", GM GMAX 10000, HYDRAMAX
	246385	INLET STRAINER 7/8", ST MAX 395/495
	288472	INLET STRAINER 10 MESH, GH, CRUSH-PROOF
	288481	INLET STRAINER 10 MESH W/NUT
	288480	NUT INLET STRAINER 10 MESH
	289131	INLET STRAINER 16 MESH, GH, CRUSH-PROOF
	289132	INLET STRAINER 16 MESH W/NUT
	15V573	INLET STRAINER DUTYMAX CRUSH PROOF

AIRLESS PUMP FILTERS

	PART NUMBER	DESCRIPTION
	246425	FILTER, 30 MESH, GREY
	246384	FILTER, 60 MESH, BLACK
	246382	FILTER, 100 MESH, BLUE
	246383	FILTER, 200 MESH, RED
	243080	FILTER, EASY OUT, 60 MESH, SHORT, BLACK
	243081	FILTER, EASY OUT, 100 MESH, SHORT, BLUE
	243226	FILTER, EASY OUT, 200 MESH, SHORT, RED
	244071	FILTER, EASY OUT, 30 MESH, LONG, GREY
	244067	FILTER, EASY OUT, 60 MESH, LONG, BLACK
	244068	FILTER, EASY OUT, 100 MESH, LONG, BLUE
	244069	FILTER, EASY OUT, 200 MESH, LONG, RED
	257094	FILTER, 40 MESH, FINISHPRO 290

AIRLESS GUN FILTERS

	PART NUMBER	DESCRIPTION
	218131	GUN FILTER, 50 MESH CONTR. + FTX-E (BLUE)
	218133	GUN FILTER, 100 MESH CONTR. + FTX-E (ORANGE)
	256975	GUN FILTER, 150 MESH CONTR. + FTX-E + AA30 (RED)
	24X383	GUN FILTER, 50 MESH BULK (X25)
	24X695	GUN FILTER, 100 MESH BULK (X25)
	257129	EASY-OUT GUN FILTER, 30 MESH (GREY)
	287032	EASY-OUT GUN FILTER, 60 MESH (BLACK)
	287033	EASY-OUT GUN FILTER 100 MESH (BLUE)
	257130	EASY-OUT GUN FILTER 200 MESH (RED)
	287034	EASY-OUT GUN FILTER 60 MESH + 100 MESH
	24X696	EASY-OUT GUN FILTER 60 MESH BULK (BLACK, X25)
	24X697	EASY-OUT GUN FILTER 100 MESH BULK (BLUE, X25)
	224455	CONTRACTOR GUN FILTER 50 MESH, FTX-E (X2)
	224456	CONTRACTOR GUN FILTER 100 MESH, FTX-E (X2)
	289922	LANCE FILTER 18 MESH (X2), WITH SCRAPER
	289923	LANCE FILTER 30 MESH (X2), WITH SCRAPER



Pump Armor™ Dual purpose:

1. Undiluted for long term storage: lubricant and anti-freeze in one
2. Dilluted in water (20%) for more efficient daily cleaning

AIRLESS LIQUIDS



PART NUMBER	DESCRIPTION
238049	TSL, 118 ML
206994	TSL, 250 ML
206995	TSL, 1 L
206997	TSL, 1L (X12)
206996	TSL, 3.8 L
206998	TSL, 3.8 L (X4)
253574	PUMP ARMOR LIQUID, 1 L
245133	PUMP ARMOR LIQUID, 3.8 L
207428	HYDRAULIC FLUID, 3.8 L
117784	PUMP OIL, 0.133 LITER, FOR RADIAL AXIAL - PUMPS ONLY (G-FORCE)
246377	PUMP OIL, 1 LITER, FOR TRIPLEX PLUNGER - PUMPS ONLY (G-FORCE)



AIRLESS ACCESSORIES VARIOUS

	PART NUMBER	DESCRIPTION
	17C489	BLISTER PACK - PROCONNECT PUMP LOWER
	24Y472	BLISTER PACK - PROXCHANGE GX PUMP
	17J444	GX CARRYING STRAP
	24B250	HOPPER, 5.7L, FP290
	17H171	HOPPER, 5.7L, (GXFF, CLASSIC, STMAX, FP)
	240296	HOSE STRAP (X4)
	287293	REPAIR KIT, AUTO-CLEAN
	249056	FLUID FILTER KIT 390
	287995	FLUID FILTER KIT MARK X
	15F446	GUN TOOL
	70783001001	THICKNESS GAUGE, 25 - 2000
	224457	SWIVEL 1/4" (204940 IN BLISTER)
	24W090	PROGUARD 230V, CEE 7/7, SHUKO
	24W755	PROGUARD 230V, IEC320, MULTI-CORD
	289535	MOISTURE SEPERATOR KIT
	119799	CLEANING BRUSH
	17Y297	CONTRACTOR PC PROCONNECT REPLACEMENT CARTRIDGE
		



Use the container suction set, pumping directly from a 500 or 1000 liter container delivered by your material supplier: extremely effective, especially if all built into a van or trailer.

AIRLESS SUCTION KITS

	PART NUMBER	DESCRIPTION
	246386	30L SUCTION TUBE KIT, 3/4" HOSE, PUMP 1 1/4", STRAINER (STMAX)
	248216	30L SUCTION TUBE KIT, 1" HOSE, PUMP 1 5/16" (UMII, GMAX)
	248390	20-200L SUCTION TUBE KIT, 1"X1M HOSE, PUMP 1 5/16" (UMII, GMAX)
	287541	200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1 5/16", PRIME HOSE (UMII, GMAX)
	289669	200L SUCTION TUBE KIT, 1"X1.5M HOSE, PUMP 1" NEW VALVE, PRIME HOSE (MARK VII/X, GMAX II 7900HD, DUTYMAX)
	243167	CONTAINER SUCTION KIT, 1"X1.5M HOSE, PUMP 1", DIN C-CLAMP (UMII, MARK, GMAX, DUTYMAX)
	098265	CONTAINER SUCTION KIT, 3/4"X1.8M HOSE, PUMP 3/4", DIN C-CLAMP (UM)
	24M445	CONTAINER SUCTION KIT, 2"X0,6M HOSE, PUMP 1", DIN C-CLAMP (UMII, MARK, GMAX, DUTYMAX)
	25D091	CONTAINER SUCTION KIT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)
	17Y659	CONTAINER SUCTION KIT, SOLVENT, 2"X0,6M HOSE, CAM (GH1017/2570/5040, DUTYMAX675)
	287936	200L SUCTION TUBE KIT, NON-SOLVENT, 2"X2M HOSE, STRAINER, PUMP CAM+1 1/2" (GH1017/2570/5040/833)
	245468	200L SUCTION TUBE KIT, 1 1/4"X2M HOSE, PUMP 1 1/4" (GH733)
	16V063	200L SUCTION TUBE KIT, 1"X1,8M HOSE, PUMP DIXON VALVE (GH933)
	287916	200L SUCTION TUBE KIT, NON-SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)
	287915	200L SUCTION TUBE KIT, SOLVENT, 1 1/2"X2M HOSE, STRAINER, PUMP 1 1/2" (GH833)



Simple conversion switching a gas or electric motor kit is quickly done by one person on a job site – no tools required.

AIRLESS MOTOR KITS

	PART NUMBER	DESCRIPTION
	248943	HONDA GX160 - 160CC
	248944	HONDA GX200 - 200CC
	248945	HONDA GX270 - 270CC
	248946	ELECTRIC MOTOR- 3 HP (2.2 KW)
	24M668	DUTYMAX KIT, ELECTRIC MOTOR, 3 HP
	24M669	DUTYMAX KIT, ELECTRIC MOTOR, 7.3 HP



Endurance™ Vortex MaxLife and MaxLife Extreme™:
the longest lasting pumps ever built.

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2) & MAXLIFE RODS

AIRLESS PROCONNECT PUMP LOWERS (VORTEX / MAXFLO 2)

PART NUMBER	DESCRIPTION
17H823	ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H824	ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H826	ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN - VORTEX PUMP LOWER - MAXLIFE EXTREME
17H832	MARK IV PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H833	MARK V PROCONTRACTOR & GMAX II 5900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H834	MARK VII PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H835	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE
17H825	GMAX II 7900 PROCONTRACTOR - VORTEX PUMP LOWER - MAXLIFE
17H836	MARK V IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H892	MARK VII IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H837	MARK X IRONMAN & GMAX II 7900 HD IRON MAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H827	GMAX II 7900 IRONMAN - VORTEX PUMP LOWER - MAXFLO 2 - MAXLIFE EXTREME
17H828	MARK IV STANDARD - PUMP LOWER - MAXFLO 2
17H829	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER - MAXFLO 2
17H830	MARK VII STANDARD - PUMP LOWER - MAXFLO 2
17H831	MARK X STANDARD - PUMP LOWER - MAXFLO 2
25E689	GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE - MAXFLO 2

AIRLESS ACCESSORIES

AIRLESS MAXLIFE VORTEX RODS



PART NUMBER	DESCRIPTION
17H876	MAXLIFE VORTEX ROD, ULTRA MAX II 695/795 PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
17H877	MAXLIFE VORTEX ROD, ULTRA MAX II 1095 PROCONTRACTOR & GMAX II 5900 PROCONTRACTOR
17H879	MAXLIFE EXTREME VORTEX ROD, ULTRA MAX II 1095 IRONMAN & GMAX II 5900 IRONMAN
17H880	MAXLIFE EXTREME VORTEX ROD, GMAX II 7900 IRONMAN
17H881	MAXLIFE VORTEX ROD, MARK IV PROCONTRACTOR
17H882	MAXLIFE VORTEX ROD, MARK V PROCONTRACTOR & MARK VII PROCONTRACTOR & G-MAX II 5900 HD PROCONTRACTOR
17H883	MAXLIFE VORTEX ROD, MARK X PROCONTRACTOR & G-MAX II 7900 HD PROCONTRACTOR
17H878	MAXLIFE VORTEX ROD, GMAX II 7900 PROCONTRACTOR
17H884	MAXLIFE EXTREME VORTEX ROD, MARK V IRONMAN & MARK VII IRONMAN
17H885	MAXLIFE EXTREME VORTEX ROD, MARK X IRONMAN & GMAX II 7900 HD IRON MAN

QUIKPAKS



PART NUMBER	DESCRIPTION
17H838	ULTRA MAX II 695/795 STANDARD/PREMIUM, ULTRA MAX II 695 STANDARD, ULTRA MAX 795, GMAX II 3900 STANDARD, GMAX II 3900 PROCONTRACTOR, GMAX II 3900 STANDARD/PREMIUM, GMAX 3900, LINELAZER 3900
17H841	ULTRA MAX II 695/795 PROCONTRACTOR
17H839	ULTRA MAX II 1095 STANDARD/PREMIUM, GMAX II 5900 STANDARD, GMAX II 5900 HD PREMIUM, GMAX 5900, LINELAZER 5900
17H842	ULTRA MAX II 1095 PROCONTRACTOR SERIES, GMAX II 5900 PROCONTRACTOR
17H843	ULTRA MAX II 1095 IRONMAN, GMAX II 5900 IRONMAN
17H845	MARK IV STANDARD
17H849	MARK IV PROCONTRACTOR
17H846	MARK V STANDARD, GMAX 5900 HD STANDARD
17H850	MARK V PROCONTRACTOR/IRONMAN, GMAX II 5900 HD PROCONTRACTOR/IRONMAN
17H847	MARK VII STANDARD
17H851	MARK VII PROCONTRACTOR/IRONMAN
17H848	MARK X STANDARD
17H852	MARK X PROCONTRACTOR/IRONMAN, GMAX II 7900 HD STANDARD/PROCONTRACTOR/IRONMAN
17H840	GMAX II 7900 STANDARD, GMAX II 7900 PROCONTRACTOR
17H844	GMAX II 7900 IRONMAN



PROCONNECT

No tools pump removal. No tools pump installation. No tools rod adjustment

=> On the job!

=> In seconds!

AIRLESS PROCONNECT PUMP LOWERS, MAXLIFE SLEEVES & RODS, PUMP FILTERS

AIRLESS PROCONNECT PUMP LOWERS


	PART NUMBER	DESCRIPTION
	248204	ULTRA MAX II 695/795 STANDARD - PUMP LOWER
	248205	ULTRA MAX II 1095 STANDARD - PUMP LOWER
	16X414	ULTRA MAX II 695/795 & GMAX II 3900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X419	ULTRA MAX II 1095 & GMAX II 5900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X420	ULTRA MAX II 1095 & GMAX II 5900 IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16X428	MARK IV STANDARD - PUMP LOWER
	16X429	MARK V STANDARD & GMAX II 5900 HD STANDARD - PUMP LOWER
	16Y601	MARK VII STANDARD - PUMP LOWER
	16X425	MARK X STANDARD & GMAX II 7900 HD STANDARD - PUMP LOWER - MAXLIFE
	16X418	MARK IV PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X421	MARK V & GMAX II 5900 HD PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16Y602	MARK VII PROCONTRACTOR - PUMP LOWER - PROCONNECT 2
	16X427	MARK X PROCONTRACTOR & GMAX II 7900 HD PROCONTRACTOR/IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16Y599	MARK V IRONMAN - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	16Y598	GMAX II 3900 STANDARD - PUMP LOWER
	16Y706	GMAX II 5900 STANDARD - PUMP LOWER
	16X423	GMAX II 7900 STANDARD - PUMP LOWER - MAXLIFE
	16X426	GMAX II 7900 PROCONTRACTOR - PUMP LOWER - PROCONNECT 2 - MAXLIFE
	288467	GH200 - PUMP LOWER, PROCONNECT
	288468	GH230/300 - PUMP LOWER, PROCONNECT

AIRLESS ACCESSORIES

	PART NUMBER	DESCRIPTION
	17R044	APX 6200 PUMP LOWER, CHROME
	17R042	APX 8200 PUMP LOWER, CHROME
	17N693	APX 6200 PUMP LOWER, MAXLIFE
	17N694	APX 8200 PUMP LOWER, MAXLIFE
	24W999	DUTYMAX - PUMP LOWER, STANDARD SERIES
	24X001	DUTYMAX - PUMP LOWER, PROCONTRACTOR SERIES
	16U753	GH 733 - PUMP LOWER
	16U755	GH 933 - PUMP LOWER
	16U751	GH 1017 - PUMP LOWER
	16U752	GH 2570 - PUMP LOWER
	16U754	GH 5040 - PUMP LOWER

AIRLESS MAXLIFE SLEEVES & RODS

	PART NUMBER	DESCRIPTION
	17H864	MAXLIFE SLEEVE, ULTRA MAX II 695/795 PROCONTRACTOR & MARK IV PROCONTRACTOR & GMAX II 3900 PROCONTRACTOR
	257031	MAXLIFE SLEEVE, ULTRA MAX II 1095 PROCONTRACTOR/IRONMAN, MARK V/VII PROCONTRACTOR/IRONMAN & GMAX II 5900 PROCONTRACTOR/IRONMAN
	249121	MAXLIFE SLEEVE, MARK X STANDARD/PROCONTRACTOR/IRONMAN, GMAX 7900 (HD) STANDARD/PROCONTRACTOR/IRONMAN
	287817	MAXLIFE SLEEVE (GH230/300)
	249119	MAXLIFE ROD EH/GH200
	287816	MAXLIFE ROD GH 230/300
	287832	MAXLIFE ROD GH833
	288469	MAXLIFE ROD (GH200)
	288470	MAXLIFE ROD (GH230/300)



TEXTURE APPLICATORS & GUNS

	PART NUMBER	DESCRIPTION
	289605	HD BLUE PLASTER GUN WITH RAC X GUARD AND 531 TIP
	245820	HD INLINE PLASTER GUN
	245924	HOPPER GUN COMPLETE (5.5 L CAPACITY)
	24S155	RTX GUN NON BLEEDER
	256383	LANCE T-MAX 506/657
	17Z054	T-MAX LANCE 1" CAM (M), RAC X
	17Z128	FREE FLO INLINE GUN 1" CAM (M), ROUND NOZZLES AND FINE FINISH KIT
	17Y910	STX GUN 1" CAM (M)
	24B944	POLE APPLICATOR 1" CAM (M), 1M, NO BALL VALVE (24C414)
	24B945	FLEXHEAD APPLICATOR 1" CAM (M), 1M, NO BALL VALVE (24C414)
	17Y907	INLINE GUN 1" CAM (M)
	24C414	BALL VALVE SHUTOFF 1" CAM MXF (17Z128, 24B944, 24B945)
	244052	ACCESSORY KIT, AIR ATOMIZER WITH HOSE
	244223	ACCESSORY KIT, AIR ATOMIZER WITHOUT HOSE
	287995	FILTER HOUSING ASSEMBLY KIT
	289611	HD BLUE PLASTER GUN, RAC X (427,531), 3/8"X15M + WHIP 1/4"X0.9M
	289585	KIT, HOSE 1/2, TEXTURE
	24S135	RTX5500 AIR SPRAY TRIGGER GUN



Always adapt the nozzle to the material.

TEXTURE AIR NOZZLES

	PART NUMBER	DESCRIPTION
	234153	TEXSPRAY AIR NOZZLES KIT (WHITE 6MM/GRAY 8 MM, BLACK 12 MM)
	234538	TEXSPRAY NOZZLE-FINE-BEIGE
	234277	TEXSPRAY NOZZLE-SMALL-WHITE
	234278	TEXSPRAY NOZZLE-MEDIUM-GRAY
	234279	TEXSPRAY NOZZLE-LARGE-BLACK
	15C883	3MM RTX & GTX ROUND AIR NOZZLE
	15C884	4MM RTX & GTX ROUND AIR NOZZLE
	15C885	6MM RTX & GTX ROUND AIR NOZZLE
	15C886	8MM RTX & GTX ROUND AIR NOZZLE
	15C887	10MM RTX & GTX ROUND AIR NOZZLE
	15C888	12MM RTX & GTX ROUND AIR NOZZLE
	248888	3MM TMX ROUND AIR NOZZLE
	248524	4MM TMX ROUND AIR NOZZLE
	248525	6MM TMX ROUND AIR NOZZLE
	248526	8MM TMX ROUND AIR NOZZLE
	248527	10MM TMX ROUND AIR NOZZLE
	24S142	WIDETEX KIT
	24S143	WIDETEX KIT, HARDENED
 	287227	FINE FINISH KIT + FF DISKS
	17Z635	WIDETEX FF KIT, HARDENED (STX)
	18A155	WIDETEX FF KIT, HARDENED (LANCE, FREEFLO)



OPTIMIZE PRODUCTIVITY – feeds the pump using gravity.
Benefits when using thick materials such as plasters and fillers.
Large capacity enables working for longer periods of time before refilling.

TEXTURE ACCESSORIES

	PART NUMBER	DESCRIPTION
	287987	SERVICE HOPPER FOR PAINT AND PLASTER
	17P196	VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V EU
	17P002	VIBRA FLO SERVICE HOPPER FOR PAINT AND PLASTER, 230V IT, DK, CH
	289587	BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)
	289823	BAG ROLLER SYSTEM (T-MAX 506/657 - YEAR -2019)
	17Z539	BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)
	17R172	APX BAG ROLLER SYSTEM (APX)
	17R173	APX BAG ROLLER SYSTEM (T-MAX 506/657 - YEAR -2019)
	17Z186	APX BAG ROLLER SYSTEM (T-MAX 506/657/6912 - YEAR 2019+)
	17R174	APX BAG ROLLER SYSTEM (SERVICE HOPPER 287987, 17P196, 17P002)
	289922	LANCE FILTER 18 MESH (X2), WITH SCRAPER
	289923	LANCE FILTER 30 MESH (X2), WITH SCRAPER
	277789	LANCE FILTER SCRAPER
	15U047	STRAINER, HOPPER
	121543	SCRAPER TEXTURE
	248515	CLEANING SPONGE BALLS 1" (X5)
	287314	ROTOFLEX PUMP HOSE KIT
	287328	EXTERNAL COMPRESSOR CONNECTION KIT
	17R720	X-FLO HOSE REEL (APX)

TEXTURE ACCESSORIES

	PART NUMBER	DESCRIPTION
	25D491	FASTFINISH COMPRESSOR, 230V EU, IT, DK, CH, UK
	25D497	G-TEX GRAVITY-FED GUN
	25D496	FASTFINISH PRESSURE-BOOSTED GUN
	26A563	AIR HOSE 3/8" X 15M
	17Z185	AIR ASSISTED NOZZLES AND HOSE KIT FOR LANCE
	17Z144	SIGNAL CABLE + AIR HOSE, 13M
	17Z148	SIGNAL CABLE + AIR HOSE, 18M
	17Z151	SIGNAL CABLE + AIR HOSE, 33M
	17Z303	AIR HOSE 3/8" X 13M
	17Z304	AIR HOSE 3/8" X 18M
	17Z305	AIR HOSE 3/8" X 33M
	17Z157	REMOTE SWITCH, 18M
	18A682	REMOTE SWITCH, 0.25M
	17Z158	REMOTE SWITCH, 33M
	15Y525	SIGNAL CABLE EXTENSION, 15M
	17Y905	PRIME VALVE KIT, 1" CAM
	17Z414	VIBRA-FLO T-MAX



The new T-Max modular system allows you to choose your own pump, hopper and accessories. Or you select a predefined configuration from Graco (see page 20/21 for more details)

TEXTURE T-MAX MODULES

	PART NUMBER	DESCRIPTION
	17Z169	T-MAX 506 PUMP MODULE, 230V EU
	17Z291	T-MAX 506 PUMP MODULE, 230V IT, DK, CH
	17Z170	T-MAX 506 PUMP MODULE, 110V UK
	17Z171	T-MAX 657 PUMP MODULE, 230V EU
	17Z292	T-MAX 657 PUMP MODULE, 230V IT, DK, CH
	17Z172	T-MAX 657 PUMP MODULE, 110V UK
	17Z173	T-MAX 6912 PUMP MODULE, 230V EU
	17Z293	T-MAX 6912 PUMP MODULE, 230V IT, DK, CH
	17Z174	T-MAX 6912 PUMP MODULE, 110V UK
	17Z182	T-MAX HOPPER MODULE (4 BAGS)
	17Z183	T-MAX HOPPER MODULE (6 BAGS)

TEXTURE ACCESSORIES



HEAVY DUTY ACCESSORIES



Increase your jobsite efficiency in the heavy duty market with our selected heavy duty accessories where higher pressures, longer hose lengths and increased productivity help you to stand out!

HEAVY DUTY ACCESSORIES

	PART NUMBER	DESCRIPTION
	25D229	500 BAR ROOFING JETROLLER, 1M EXTENSION & XHF GUN 3/8", ADJUSTABLE 22,5-45CM FRAME, XHD GUARD & XHD935+939
	25D227	XTR7 HF GUN, XHD (429,527,531), 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	25D228	XTR7 HF GUN, 0,5M EXTENSION, XHD (429,527,531), 1/2"X15M (3X) + WHIP HOSE 3/8"X3M - 500 BAR
	16U757	HD BLUE PLASTER GUN, 0,75M EXTENSION, RAC X (519,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M - 276 BAR
	16U759	FLEX PLUS GUN, 0,5M EXTENSION, XHD (517,531), 1/2"X15M (5X) + WHIP HOSE 3/8"X3M + WHIP HOSE 1/4"X0,9M - 276 BAR
	16V015	XTR7 GUN, XHD (519), 3/8"X15M + WHIP HOSE 1/4"X1,8M - 500 BAR
	16U761	XTR7 GUN, EXTENSION 0,5M, XHD (519,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	17B825	XHF GUN, EXTENSION 0,5M, XHD (429,531), 3/4"X15M (4X) + 1/2"X15M + WHIP HOSE 3/8"X3M - 500 BAR
	25D078	SERVICE HOPPER, 2" CAM LOCK, 2"X0,5M SUCTION HOSE (DUTYMAX 675, GH933/733/1017/2570/5040)
	16U505	STAINLESS STEEL HOPPER KIT (GH733,933,5040)
 	XTR706	XTR7 HIGH FLOW GUN, 4F, XHD, GUN SWIVEL
	17U148	HD EXTENSION 1M, 500 BAR
	25D091	SUCTION HOSE CAM LOCK, WATERBORN
	17Y659	SUCTION HOSE CAM LOCK, SOLVENT

PROFESSIONAL CLEANING ACCESSORIES

The needs of your job, translated into Graco's G-Force II pressure washers. From occasional up to frequent and long lasting jobs, our Direct Driven and Belt Driven pressure washers provide it all.




CLEANING

G-FORCE II

	PART NUMBER	DESCRIPTION
	244785	G-FORCE GUN ONLY (345 BAR)
	244779	G-FORCE GUN 50 CM (345 BAR)
	127469	G-FORCE GUN 90 CM (THREAD) (220 BAR)
	244784	G-FORCE GUN 90 CM (345 BAR)
	16X668	G-FORCE EXTENSION 180 CM
	116564	G-FORCE TELE-EXTENSION 180 – 550 CM
	16X669	G-FORCE TELE-EXTENSION 180 – 730 CM
	16X670	G-FORCE BELT FOR TELE-EXTENSIONS
	16X665	HOSE REEL KIT, 30 M CAPACITY, 240 BAR
	16X664	HOSE REEL KIT, 30 M CAPACITY, 345 BAR
	16E286	HOSE 3/8" X 7,5 M THREAD (240 BAR)
	127534	HOSE 3/8" X 15 M THREAD (240 BAR)
	244783	HOSE 3/8" X 15 M QUICK DISCONNECT (275 BAR)
	16X667	HOSE 3/8" X 30 M QUICK DISCONNECT (275 BAR)
	16X666	HORIZONTAL SURFACE CLEANER, 45 CM
	16X680	GUTTER CLEANING ATTACHMENT
	16X679	BALL VALVE WATER SHUTOFF
	801009	COUPLER FOR WAND EXTENSIONS, 1/4"
	801568	QD COUPLER 3/8" (M) X 3/8" NPT(F) STEM
	801569	QD COUPLER 3/8" (F) X 3/8" NPT(F) COUPLER
	16X682	G-FORCE PARTS BOX
	287643	GARDENA® WATER CONNECTION ADAPTER (BRASS)


Poles, guns and heads are modules that can be assembled to fit specific needs using the right swivels and adapters.



SWIVELS, ADAPTERS AND NIPPLES

PART NUMBER	DESCRIPTION
GUN SWIVELS	
	M X F STRAIGHT SWIVEL UNION THREAD, MAX. W. PRESS.-BAR, SEALMAT-L, SWIVEL MAT-L
244515	1/4" NPT(M) X 1/4" NPSM(F), 210, LEATHER, CS
223341	1/4" NPT (M) X 1/4" NPSM(F), 250, PTFE, CS
239663	1/4" NPT(M) X 1/4" NPSM(F), 250, LEATHER, CS
207947	1/2" NPT(M) X 1/2" NPT(F), 410, CS ZINC PLATED
SWIVEL UNIONS	
	M X F STRAIGHT SWIVEL UNION THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
156823	1/4" NPT(M) X 1/4" NPT(F), 690, CS
157705	1/4"NPT (M) X 3/8" NPSM(F), 515, CS
190451	1/2" NPT(M) X 1/2" NPSM(F), 206, CS
	F X F STRAIGHT SWIVEL UNION THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
159153	1/4" NPT(F) X 3/8" NPT(F), 515, CS
156173	3/8" NPSM(F) X 3/8" NPT(F), 510, CS
161077	1/2"NPT(F) X 3/8" NPSM(F), 240, CS
155865	1/2" NPSM(F) X 1/2" NPT(F), 500, CS
HEX NIPPLE	
	M X M STRAIGHT NIPPIE THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
162453	1/4" NPSM x 1/4" NPT NPSM, 515, CS
156971	1/4" NPT x 1/4" NPT, 515, CS
156849	3/8" NPT x 3/8" NPT, 500, CS
196178	3/8" NPSM x 3/8" NPT, 350, CS WITH E-NICKEL
157350	3/8" NPT x 1/4" NPT, 413, CS
158491	1/2" NPT X 1/2" NPT, 510, CS

PART NUMBER	DESCRIPTION
REDUCING NIPPLES: M X M	THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
191872	1/8" NPT x 1/4" NPSM, 345, CS
165274	1/4" NPT x 11/16"-27 UNS, 345, CS
164856	3/8" NPT x 1/4" NPT, 550, SS
164672	3/8" NPT x 1/4" NPSM, 413, CS
196177	3/8" NPT x 1/4" NPSM, 415, CS WITH E-NICKEL
161800	3/4" NPT x 3/8" NPSM, 275, CS
196142	3/4" NPT x 1/2" NPT, 345, CS
158979	1/2" NPT x 3/8" NPT , 375, CS
159239	1/2" NPT X 3/8" NPT, 510, CS
ADAPTERS: M X F	THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
244825	1/4" NPT, 7/8"-14 UNF, 230, CS
104969	1/2" NPT, 3/4" NPT, 275, CS
181085	7/8"-14 UNF, 11/16"- 16 UNEF, 345, CS, METRIC GUN TO GRACO GUARD
181084	7/8"-14 UNF, 3/4"NPT, 345, CS
164120	11/16"- 16 UNEF, 7/8"-14 UNF-2B, 345, CS: GRACO GUN TO METRIC GUARD
159841	ADAPTER, 1/4 NPT(F) X 3/8 NPT(M)
PIPE TEES: F X F X M	THREAD, MAX . W. PRESS .-BAR , SWIVEL MAT -L
106228	2 X 1/4" NPT(F) X 1/4" NPT(M), 210, BRASS
108673	2 X 3/8" NPT(F) X 3/8" NPT(M), 275, SS
111337	2 X 3/4" NPT(F) X 3/4" NPT(M), 275, CS
BALL VALVES	THREAD, MAX . W. PRESS .-BAR , PACKING MAT -L
239280	1/4" NPT (MBE), 350, FLUOROELASTOMER
238694	3/8" NPT (MBE), 350, PTFE/SS
223522	1/4" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
224441	3/8" NPT(M) X DRILLED PLUG, 350, FLUOROELASTOMER
238967	3/8"M NPT (MBE), 350, PTFE WITH PEEK SEAT




TIPS

Sorted per type of tip,
including all available sizes

1. UNDERSTANDING TIPS

The right tip:

- Increases your performance
- Improves the quality of your work
- Keeps your costs under control



The pump delivers:
Paint flow - Paint pressure



The tip defines:
Spray angle - Spray volume

2. WHAT DOES A TIP TELL YOU? CRACKING THE CODE

The **colour** tells you which application you can use the tip for

- guarantees the best possible finish under lowest pressure for fine finish and wall paints
- for painting walls, suitable for paint spraying in general
- for thin plastering and less fluid materials
- for marking roads



The **first number** indicates the fan width of the tip

The first number stands for the width of the spray distribution (the fan width). It matches the angle you are spraying at. If the number is 5, then you are spraying at an angle of 50°. Multiply that number by 5 and you have a fan width if you hold the pistol 30 cm from the surface.

$$5 \times 5 = 25 \text{ fan width}$$

The **last two numbers** indicate the spray orifice of the tip

The last two numbers of the tip show the size of the spray orifice, indicated in one thousandths of an inch. The higher the number, the greater the flow with which you can spray. For example, a '517' tip enables a greater flow than a '515' tip.

'17' matches an orifice of 0.017 inch or 0.43 mm.


3. ADJUSTING TO THE RIGHT TIP

By experimenting with various tips, you become experienced and can easily decide which tip is the best one for your application.

TOO MUCH PAINT?




0.017" =
1.2 litres/minute



1) Use a smaller tip orifice
15 instead of 17




2) Increase the spray angle
7 instead of 5



NOT ENOUGH PAINT?




0.017" =
1.17 litres/minute




1) Use a larger tip orifice
19 instead of 17



2) Decrease the spray angle
3 instead of 5



4. INCREASING PRODUCTIVITY WITH TIPS



5. A TIP ON TIPS

WHAT IS TIP WEAR?

1

FAN WIDTH DECREASES
= more passes necessary
= more labour

+

2

ORIFICE SIZE INCREASES
= more paint comes out
= more material cost

=

TWICE THE LABOUR!
+ 30% More paint for the same surface!

WHAT HAPPENS WHEN A TIP GETS WORN OUT?

Piston work pressure and abrasive material are the two main causes of worn-out tips.

The fan width decreases:
> More spray movements are necessary
= more work

Greater tip orifice:
> More paint comes out of the piston
= more costs for materials

twice as much work
+ 30% more paint for the same surface

NEW

30 cm

28 cm

23 cm

14 cm

WORN-OUT

TIP WEAR CHART:

NEW

1st digit x 5
= fan width*

5 cm

10 cm

15 cm

20 cm

25 cm

30 cm

35 cm

40 cm

60 cm

WORN

Time to change!

3 cm

7 cm

10 cm

15 cm

20 cm

25 cm

30 cm

35 cm

55 cm

*at 30 cm spraying distance

TIP SELECTION GUIDE

SPRAY TIP SELECTION GUIDE

VISCOSITY	MATERIAL EXAMPLES	SUGGESTED TIPS SIZES		AIRLESS TIPS CHART		GUARDS	
FINE							
20-30% solids	Dyes	007-009	008-010	163xxx (silver)		220251	
	Stains	009-011	008-012	163xxx (black)		RAC® X - 246215	
	Lacquers	011-013	012-014	LTXxxx RAC® X (blue)			
	Oils	011-013	012-014				
	Enamels	011-015	012-014	FFLPxxx RAC® X (green)			
	Urethanes	013-015	012-014				
MEDIUM							
30-50% solids	Latex	015-019	014-020	269xxx Contractor™ Flat		RAC® X - 246215	
	Acrylics	015-019	014-020	163xxx (silver)			
	Multi-colours	024-031		FFLPxxx / LPxxx RAC® X (green)	 		
	Emulsions	017-021	018-020				
				PAAxxx RAC® x (blue)			
HEAVY							
50% + solids	Block fillers	023-031		163xxx (silver)		220251	
	Elastomerics	025-033				RAC® X - 246215	
	Intumescent	029-035		LPxxx RAC® X (green)			
	Spachtel	029-065					
	Mastics	041-047					
	Epoxies	031-043		HDAxxx RAC® X (brown)		RAC® V - 243161	
	Fibred	047-053					
	Asphalt	031-067		WAxxx RAC® X (blue)			
SPECIALTY							
Airless Striping	Road striping paint	031-039		LL5xxx RAC® V (yellow) or 163xxx		RAC® V - 243161	

BREAKTHROUGH LOW PRESSURE SMARTTIP™ TECHNOLOGY, ENGINEERED TO DELIVER THE INDUSTRY'S BEST FINISH!

Featuring the patented Graco RAC® X Tip with **SMARTTIP™ TECHNOLOGY** and exclusive internal tip geometry which delivers the industry's best finish at the lowest airless spray pressure!

BREAKTHROUGH **ATOMIZATION**

- Ability to spray at low pressures without tails
- Better finish at all pressures – works well with hard to atomize Low VOC materials


BREAKTHROUGH **RELIABILITY**

- Longer tip life when used at low pressure
- Less stress and strain on the sprayer

BREAKTHROUGH **VERSATILITY**

- Longer hose lengths
- Smaller diameter hose

SMARTTIP™ TECHNOLOGY is designed to work with Graco's exclusive **SMARTCONTROL™ PRESSURE MANAGEMENT SYSTEM** to deliver a superior spray fan without pressure fluctuations – at all spraying pressures!



**LOW PRESSURE
TECHNOLOGY
EXTENDED TO
LARGER TIP SIZES!**

FINE FINISH LOW PRESSURE TIPS

FINE FINISH LOW PRESSURE TIPS



FFLPXXX

RAC® X - GREEN

Orifice	Flow Lpm	FAN WIDTH					
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm
.008	.26	108	208	308			
.010	.41	110	210	310	410	510	
.012	.59	112	212	312	412	512	
.014	.80		214	314	414	514	
.016	1.04					516	616



LPXXX

RAC® X - GREEN

Orifice	Flow Lpm	FAN WIDTH				
		15 cm	20 cm	25 cm	30 cm	35 cm
.013	.69	313				
.015	.91	315	415	515		
.017	1.17		417	517	617	
.019	1.47		419	519	619	
.021	1.79		421	521	621	
.023	2.15		423	523	623	723
.025	2.54		425	525	625	725
.027	2.96			527	627	
.029	3.42				629	729
.031	3.90				631	731

RAC® X - 246215



PROFESSIONAL AIRLESS TIPS



PAAXXX

RAC® X - BLUE

		FAN WIDTH							
Orifice	Flow Lpm	5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm
.015	.90	115	215	315	415	515	615		
.017	1.15		217	317	417	517	617		817
.019	1.5		219	319	419	519	619		819
.021	1.8		221	321	421	521	621	721	821
.023	2.15			323	423	523	623	723	
.025	2.5		225	325	425	525	625		



LTXXX

RAC® X - BLUE

		FAN WIDTH					
Orifice	Flow Lpm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm
.007	.20		207				
.009	.33	109	209	309	409	509	
.011	.49	111	211	311	411	511	611
.013	.69		213	313	413	513	613

RAC® X - 246215



HEAVY DUTY TIPS



HDAXXX

RAC® X - BROWN

Orifice	Flow Lpm	FAN WIDTH						
		10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	45 cm
.027	2.96	227	327	427	527	627		827
.029	3.42		329	429	529	629	729	
.031	3.90	231	331	431	531	631		831
.033	4.42			433	533	633		833
.035	4.98	235	335	435	535	635	735	835
.037	5.56				537	637		
.039	6.18			439	539	639		
.041	6.83			441	541	641		
.043	7.51			443	543	643		
.045	8.23			445	545	645		
.047	8.98				547	647		
.051	10.67			451	551	651		
.055	12.29			455	555	655		
.061	15.12				561	661		
.065	17.17					665		
.071	20.48					671		



WAXXXX

RAC® X - BLUE

Orifice	Flow Lpm	FAN WIDTH					
		10 cm	20 cm	30 cm	40 cm	50 cm	60 cm
.021	1.8						1221
.023	2.15						1223
.025	2.5						1225
.027	3.0						1227
.029	3.4						1229
.031	3.9						1231
.033	4.4						1233
.035	5.0						1235
.037	5.55						1237
.039	6.2						1239

FINE FINISH TIPS



163XXX

FLAT TIP RANGE, ODD

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.007	.20	107	207	307						
.009	.33	109	209	309	409	509	609			
.011	.49	111	211	311	411	511	611	711		
.013	.69	113	213	313	413	513	613	713	813	
.015	.91	115	215	315	415	515	615	715	815	915
.017	1.17	117	217	317	417	517	617	717	817	917
.019	1.47	119	219	319	419	519	619	719	819	919
.021	1.79	121	221	321	421	521	621	721	821	921
.023	2.15		223	323	423	523	623	723	823	923
.025	2.54		225	325	425	525	625	725	825	925
.027	2.96		227	327	427	527	627	727	827	927
.029	3.42		229	329	429	529	627	729	829	929
.031	3.90		231	331	431	531	631	731	831	931



163XXX

FLAT TIP RANGE, EVEN

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.008	.26	108	208		408					
.010	.41		210	310	410	510	610			
.012	.59		212	312	412	512	612	712		912
.014	.79		214	314	414	514	614	714	814	
.016	1.04		216	316	416	516	616	716	816	
.018	1.32			318	418	518	618	718	818	918
.020	1.63				420	520	620		820	
.022	1.97					522	622		822	922
.024	2.34				424		624		824	924
.026	2.75						626		826	
.032	4.16				432				832	



269XXX

FLAT TIP CONTRACTOR

Orifice	Flow Lpm	FAN WIDTH							
		10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.011	.50	211	311	411	511				
.013	.70	213	313	413	513	613			
.015	.90	215	315	415	515	615	715	815	
.017	1.15	217	317	417	517	617	717		
.019	1.5	219	319	419	519	619	719	819	
.021	1.8		321	421	521	621	721	821	
.023	2.15		323	423	523	623			
.025	2.5	225	325	425	525	625	725		925
.027	3.0	227	327	427	527	627		827	
.029	3.4							829	
.031	3.9				531	631		831	
.035	5.0			435		635			

HEAVY DUTY TIPS



163XXX

FLAT TIP HEAVY DUTY RANGE

Orifice	Flow Lpm	FAN WIDTH								
		5 cm	10 cm	15 cm	20 cm	25 cm	30 cm	35 cm	40 cm	45 cm
.033	4.42				433		633	733	833	933
.035	4.98		235	335	435	535	635	735	835	935
.037	5.56						637	737		
.039	6.18	139	239	339	439	539	639		839	939
.041	6.83			341	441	541	641		841	
.043	7.51				443	543	643	743	843	943
.045	8.23			345	445	545	645		845	
.047	8.98			347		547	647		847	
.049	9.76				449		649	749	849	
.051	10.67			351	451	551	651	751		
.053	11.41							753		
.055	12.29				455	555	655	755	855	
.057	13.20			357	457	557	657	757		
.059	14.14				459					
.061	15.12				461	561	661	761	861	
.063	16.13				463	563	663	763		
.065	17.17				465	565	665		865	
.067	18.24				467	567	667	767	867	
.069	19.34						669			
.071	20.48				471	571	671	771	871	
.077	24.00				477					
.081	26.66				481					

220251



AIRLESS STRIPING TIPS



LL5XXX

RAC® V - YELLOW

Line Width	Flow Lpm	FAN WIDTH			
		5 cm	10 cm	15 cm	30 cm
.013	.69	213			
.015	.91	215	315		
.017	1.17	217	317	417	
.019	1.47	219	319	419	
.021	1.79		321	421	621
.023	2.15		323	423	623
.025	2.54		325	425	625
.027	2.96		327	427	627
.029	3.42		329	429	629
.031	3.90		331	431	631
.033	4.42		333		
.035	4.98		335	435	635
.039	6.18		339	439	639
.043	7.51		343	443	643
.055	12.29		355		

RAC® V - 243161



CLEANING TIPS



805XXX

QD WASHER TIPS

Orifice	FAN ANGLE				
	0°	15°	25°	40°	SET OF 4 TIPS (0°-15°- 25°- 40°)
2.7	805591	805592	805593	805594	-
3.0	805535	805536	805537	805538	244768
3.5	805539	805540	805541	805542	244769
3.7	805595	805596	805597	805598	-
4.0	805543	805544	805545	805546	800708
4.5	805547	805548	805549	805550	800709
5.0	805551	805552	805553	805554	800710
5.5	805555	805556	805557	805558	800711
Chemical Tip					805539



805XXX

SAND WASHER TIPS

Orifice	FAN ANGLE			
	0°	15°	25°	40°
3.0		805305		
4.0	805312	805313		805315
4.5	805316	805317	805318	805319
5.0	805320	805321		
5.5	805324	805325		
5.8	805328	805329	805330	805331



198012

ROTATING PRESSURE WASHER TIP - 250 BAR

198014

ROTATING PRESSURE WASHER TIP - 360 BAR

198013

OSCILLATING PRESSURE WASHER TIP - 250 BAR



244766

SANDBLASTING KIT - 275 BAR

5
years

gear box
electric motor

2
years

electrical parts

1
year

hard parts

* handhelds excluded, warranty limited to one year. See full warranty details on contractorclub.eu

WARRANT

WARRANTY

5 YEARS		
UNITS	■ CART	
	■ DRIVE SYSTEM	
	■ ELECTRIC MOTORS	
	■ HYDRAULIC MOTOR HARD PARTS	
	■ BELT DRIVEN WATER PUMP	
	■ DIRECT DRIVE WATER PUMP*	
ACCESSORIES		
WEAR ITEMS		
OTHER WARRANTIES		

* For units sold as of 2019.

WARRANTY

2 YEARS		1 YEAR
	■ CONTROL BOX & COMPONENTS	■ ULTRA AIRLESS HANDHELD & ULTRAMAX AIRLESS HANDHELD
	■ ELECTRIC COMPONENTS	■ XFORCE
	■ TURBINES	■ FIELDLAZER S90
	■ CLUTCH	■ FLUID SECTION
	■ PUMP LOWER HARD PARTS	■ HONDA GC ENGINE
	■ THERMAL RELIEF VALVE	■ HYDRAULIC GROUP
	■ UNLOADER VALVE	■ GAS GROUP
	■ GX	
		■ GUN BODIES & ATTACHMENTS
		Graco does not cover wear items: tips, filters, sleeves, rods, packings, repair kits, seats, balls, brushes, dies,...
		Components not manufactured by Graco are covered by their own warranties: gasoline engines, hoses, water pumps and batteries. All Graco products are covered by a one year warranty period against manufacturing defects. Consult our “Blue Book” (Form No. BO170) for complete detailed information on Graco’s policies (warranty, freight, returns, etc.).

SALES BOOK

Graco's selling tool!

ANYWHERE, ANYTIME, OFFLINE

DOWNLOAD
SALES BOOK
NOW!



COMMERCIAL & TECHNICAL
LITERATURE



PRESENTATIONS



IMAGES & VIDEOS

SUPPORT MATERIAL

Tailor made support tools at your disposal to present,
use and communicate on Graco's products.

	CODE	BG	CS	DA	DE	ENEU	EL	ES	ET	FI	
	Language	Bulgarian	Czech	Danish	German	English	Greek	Spanish	Estonian	Finnish	
DESCRIPTION	PART N°										
Ultra Airless Handheld	344104	■	■	■	■	■		■	■	■	
HVLP	300744		■	■	■	■		■			
FinishPro II Pc Pro	320599		■	■	■	■		■	■	■	
GX	300735		■	■	■	■		■	■	■	
Concrete Injection Systems	300736				■	■		■			
Classic PC	300733		■	■	■	■		■	■		
ST Max II PC Pro	320580		■	■	■			■	■	■	
Ultra Max II	300713		■	■	■	■	■	■			
°C-Max	300696			■	■	■		■		■	
GMax II Standard	300718			■	■	■		■		■	
Gmax II ProContractor	300719			■	■	■		■		■	
Gmax II Ironman	300769			■	■	■		■		■	
DutyMax Standard	300722				■	■		■			
DutyMax ProContractor	300723				■	■		■			
GH BIG RIG	320593				■	■		■			
Mark Max	300716		■	■	■	■		■	■	■	
T-Max	320596		■	■	■	■		■		■	
RTX	300661		■	■	■	■		■		■	
FastFinish	300760			■	■	■		■		■	
APX	300743				■	■				■	
G-Force II	320582			■	■	■		■		■	
Airless Accessories	300672			■	■	■	■	■		■	
Airless Tips	300666		■	■	■	■		■		■	
Ultra Airless Handheld Quick Operator Guide (QOG)	16T305					■					
Ultra Airless HandHeld Corded QOG	300759					■					
HVLP TurboForce II QOG	328034					■					
FinishPro II 395 PC QOG	328035					■					
GX QOG	300752					■					
Classic 390PC QOG	300749					■					
Classic S 395PC-495PC QOG	300750					■					
ST Max II PC Pro QOG	328007					■					
Ultra Max II ProC. & Mark Max ProC. QOG	328006					■					
GMax II Quick QOG	328009				■	■		■			
DutyMax QOG	300751					■					
T-Max 506/657 QOG	328033					■					
APX QOG	300748					■					
Quick Trouble Shooter	314980		■	■	■	■	■	■		■	
Service Booklet	300663			■	■	■	■				
Maintenance Sticker (6)	ZZXXXX			ZZ2005	ZZ1674	ZZ1672		ZZ1677			

Please note that this is a reflection of the PDF availability status ; this may differ from the actual hard copy stock availability

COMMERCIAL LITERATURE & SERVICE SUPPORT

[illegible]



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Distribution Center
Graco Distribution BV
Industrieterrein - Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 432, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
38, Samsung 1-ro 1-gil
Hwaseong-si, Gyeonggi-do, 18449
Republic of Korea
Tel: 82 31 8015 0961
Fax: 82 31 613 9801

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.
Graco is certified ISO 9001.

Europe
+32 89 770 700
FAX +32 89 770 777
WWW.GRACO.COM

©2012 Graco Distribution BV - 12/19 Electronic Version only.

All other brand names or marks are used for identification purposes and are trademarks of their respective owners. For more information on Graco's intellectual property, see www.graco.com/patent or www.graco.com/trademarks.